

CD_TBL_NM	CD_TBL_COLMN_NM	SEQ_NBR	PHYS_DATA_TYP	DFALT_VALUE	NULL_IND	KEY_IND	FORGN_KEY_IND	DESCR
DD_AD_ACS_LOG	ACS_TMSTP	0	DATE	SYSTIMESTAMP	N	Y	N	The date and time that the database was accessed
DD_AD_ACS_LOG	APPL_FUNC_NM	1	VARCHAR2(63)		N	Y	N	the name of the application function that called the web service for data
DD_AD_ACS_LOG	WEB_SRVC_NM	2	VARCHAR2(63)		N	Y	N	the name of the web service process that called the database interface procedure
DD_AD_ACS_LOG	DB_PRCs_NM	3	VARCHAR2(63)		N	Y	N	The name of the process that caused the log entry to be made
DD_AD_ACS_LOG	USR_NM	4	VARCHAR2(63)	'UNSIGNED'	N	Y	N	contains the name of the user that is executing the process
DD_AD_ACS_LOG	REC_KEY	5	VARCHAR2(255)		Y	N	N	the value of the key of the record that is being accessed.
DD_AD_ACS_LOG	DESCR	6	VARCHAR2(255)		Y	N	N	
DD_AD_ACS_LOG	RMD_CREAT_DT	7	DATE	SYSDATE	N	N	N	
DD_AD_ACS_LOG	RMD_CREAT_PRCs	8	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AD_ACS_LOG	RMD_DATA_OWN_GRP	9	VARCHAR2(4)	'0'	N	N	N	
DD_AD_ACS_LOG	RMD_RSTR_LVL	10	NUMBER(10,0)	0	N	N	N	
DD_AD_ACS_LOG	RMD_IN_USE_IND	11	NCHAR(1)	'Y'	N	N	N	
DD_AD_ACS_LOG	RMD_PRODTN_DT	12	DATE		Y	N	N	
DD_AD_ACS_LOG	RMD_MODF_DT	13	DATE	SYSDATE	N	N	N	
DD_AD_ACS_LOG	RMD_MODF_PRCs	14	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AD_DB_VRSN	VRSN_DT	0	DATE	SYSDATE	N	Y	N	the date of the current database version
DD_AD_DB_VRSN	VRSN_NBR	1	VARCHAR2(63)	'0'	N	N	N	the number of the current database
DD_AD_DB_VRSN	DESCR	2	VARCHAR2(255)		Y	N	N	
DD_AD_DB_VRSN	RMD_CREAT_DT	3	DATE	SYSDATE	N	N	N	
DD_AD_DB_VRSN	RMD_CREAT_PRCs	4	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AD_DB_VRSN	RMD_DATA_OWN_GRP	5	VARCHAR2(4)	'0'	N	N	N	
DD_AD_DB_VRSN	RMD_RSTR_LVL	6	NUMBER(10,0)	0	N	N	N	
DD_AD_DB_VRSN	RMD_IN_USE_IND	7	NCHAR(1)	'Y'	N	N	N	
DD_AD_DB_VRSN	RMD_PRODTN_DT	8	DATE		Y	N	N	
DD_AD_DB_VRSN	RMD_MODF_DT	9	DATE	SYSDATE	N	N	N	
DD_AD_DB_VRSN	RMD_MODF_PRCs	10	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AD_ERR_LOG	ERR_TMSTP	0	DATE	SYSTIMESTAMP	N	Y	N	The DBMS time when the error occurred
DD_AD_ERR_LOG	APPL_FUNC_NM	1	VARCHAR2(63)		N	Y	N	the name of the application function that called the web service for data
DD_AD_ERR_LOG	WEB_SRVC_NM	2	VARCHAR2(63)		N	Y	N	the name of the web service process that called the database interface procedure
DD_AD_ERR_LOG	DB_PRCs_NM	3	VARCHAR2(63)		N	Y	N	The name of the process that caused the log entry to be made
DD_AD_ERR_LOG	USR_NM	4	VARCHAR2(63)	'UNSIGNED'	N	Y	N	contains the name of the user that is executing the process
DD_AD_ERR_LOG	REC_KEY	5	VARCHAR2(255)		Y	N	N	the value of the key of the record that is being accessed.
DD_AD_ERR_LOG	ERR_NBR	6	NUMBER(10,0)	0	N	N	N	The DBMS generated error number for the error that was logged
DD_AD_ERR_LOG	ERR_MSG	7	VARCHAR2(255)		Y	N	N	The DBMS generated message for the error that was logged
DD_AD_ERR_LOG	DESCR	8	VARCHAR2(255)		Y	N	N	
DD_AD_ERR_LOG	RMD_CREAT_DT	9	DATE	SYSDATE	N	N	N	
DD_AD_ERR_LOG	RMD_CREAT_PRCs	10	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AD_ERR_LOG	RMD_DATA_OWN_GRP	11	VARCHAR2(4)	'0'	N	N	N	
DD_AD_ERR_LOG	RMD_RSTR_LVL	12	NUMBER(10,0)	0	N	N	N	
DD_AD_ERR_LOG	RMD_IN_USE_IND	13	NCHAR(1)	'Y'	N	N	N	
DD_AD_ERR_LOG	RMD_PRODTN_DT	14	DATE		Y	N	N	
DD_AD_ERR_LOG	RMD_MODF_DT	15	DATE	SYSDATE	N	N	N	
DD_AD_ERR_LOG	RMD_MODF_PRCs	16	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_DATA_OWN_GRP	DATA_OWN_GRP	0	VARCHAR2(4)	'0'	N	Y	N	the group that owns the data record
DD_AU_DATA_OWN_GRP	DESCR	1	VARCHAR2(255)		Y	N	N	
DD_AU_DATA_OWN_GRP	SORT_ORD	2	NUMBER(10,0)	0	N	N	N	
DD_AU_DATA_OWN_GRP	RMD_CREAT_DT	3	DATE	SYSDATE	N	N	N	
DD_AU_DATA_OWN_GRP	RMD_CREAT_PRCs	4	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_DATA_OWN_GRP	RMD_DATA_OWN_GRP	5	VARCHAR2(4)	'0'	N	N	N	
DD_AU_DATA_OWN_GRP	RMD_RSTR_LVL	6	NUMBER(10,0)	0	N	N	N	
DD_AU_DATA_OWN_GRP	RMD_IN_USE_IND	7	NCHAR(1)	'Y'	N	N	N	
DD_AU_DATA_OWN_GRP	RMD_PRODTN_DT	8	DATE		Y	N	N	
DD_AU_DATA_OWN_GRP	RMD_MODF_DT	9	DATE	SYSDATE	N	N	N	
DD_AU_DATA_OWN_GRP	RMD_MODF_PRCs	10	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_DATA_RSTR_LVL	RSTR_LVL	0	NUMBER(10,0)	0	N	Y	N	contains the security restriction number for this record
DD_AU_DATA_RSTR_LVL	DESCR	1	VARCHAR2(255)		Y	N	N	
DD_AU_DATA_RSTR_LVL	SORT_ORD	2	NUMBER(10,0)	0	N	N	N	

DD_AU_DATA_RSTR_LVL	RMD_CREAT_DT	3	DATE	SYSDATE	N	N	N	
DD_AU_DATA_RSTR_LVL	RMD_CREAT_PRCS	4	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_DATA_RSTR_LVL	RMD_DATA_OWN_GRP	5	VARCHAR2(4)	'0'	N	N	N	
DD_AU_DATA_RSTR_LVL	RMD_RSTR_LVL	6	NUMBER(10,0)	0	N	N	N	
DD_AU_DATA_RSTR_LVL	RMD_IN_USE_IND	7	NCHAR(1)	'Y'	N	N	N	
DD_AU_DATA_RSTR_LVL	RMD_PRODTN_DT	8	DATE		Y	N	N	
DD_AU_DATA_RSTR_LVL	RMD_MODF_DT	9	DATE	SYSDATE	N	N	N	
DD_AU_DATA_RSTR_LVL	RMD_MODF_PRCS	10	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_ROLE	ROLE_ID	0	VARCHAR2(4)	'0'	N	Y	N	the unique database identifier assigned to each role
DD_AU_ROLE	ROLE_NM	1	VARCHAR2(63)	'UNSIGNED'	N	Y	N	the name of the role
DD_AU_ROLE	DESCR	2	VARCHAR2(255)		Y	N	N	
DD_AU_ROLE	SORT_ORD	3	NUMBER(10,0)	0	N	N	N	
DD_AU_ROLE	RMD_CREAT_DT	4	DATE	SYSDATE	N	N	N	
DD_AU_ROLE	RMD_CREAT_PRCS	5	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_ROLE	RMD_DATA_OWN_GRP	6	VARCHAR2(4)	'0'	N	N	N	
DD_AU_ROLE	RMD_RSTR_LVL	7	NUMBER(10,0)	0	N	N	N	
DD_AU_ROLE	RMD_IN_USE_IND	8	NCHAR(1)	'Y'	N	N	N	
DD_AU_ROLE	RMD_PRODTN_DT	9	DATE		Y	N	N	
DD_AU_ROLE	RMD_MODF_DT	10	DATE	SYSDATE	N	N	N	
DD_AU_ROLE	RMD_MODF_PRCS	11	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_ROLE_PROC_HIST	ROLE_ID	0	VARCHAR2(4)	'0'	N	Y	Y	the unique database identifier assigned to each role
DD_AU_ROLE_PROC_HIST	TM_INTRVL_BGN_DT	1	DATE	SYSDATE	N	Y	N	
DD_AU_ROLE_PROC_HIST	TM_INTRVL_END_DT	2	DATE	'31-DEC-9999'	N	Y	N	
DD_AU_ROLE_PROC_HIST	PROC_ID	3	VARCHAR2(4)	'0'	N	Y	Y	The unique database identifier assigned to each application function
DD_AU_ROLE_PROC_HIST	DESCR	4	VARCHAR2(255)		Y	N	N	
DD_AU_ROLE_PROC_HIST	RMD_CREAT_DT	5	DATE	SYSDATE	N	N	N	
DD_AU_ROLE_PROC_HIST	RMD_CREAT_PRCS	6	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_ROLE_PROC_HIST	RMD_DATA_OWN_GRP	7	VARCHAR2(4)	'0'	N	N	N	
DD_AU_ROLE_PROC_HIST	RMD_RSTR_LVL	8	NUMBER(10,0)	0	N	N	N	
DD_AU_ROLE_PROC_HIST	RMD_IN_USE_IND	9	NCHAR(1)	'Y'	N	N	N	
DD_AU_ROLE_PROC_HIST	RMD_PRODTN_DT	10	DATE		Y	N	N	
DD_AU_ROLE_PROC_HIST	RMD_MODF_DT	11	DATE	SYSDATE	N	N	N	
DD_AU_ROLE_PROC_HIST	RMD_MODF_PRCS	12	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_USR	USR_ID	0	VARCHAR2(63)	'0'	N	Y	N	the user id recognized by the Cisco authentication engine
DD_AU_USR	PRSN_NM_TITL_CD	1	VARCHAR2(4)	'0'	N	N	Y	the courtesy title for the person
DD_AU_USR	PRSN_NM_FIRST_NM	2	VARCHAR2(63)		Y	N	N	The person's first name
DD_AU_USR	PRSN_NM_NK_NM	3	VARCHAR2(63)		Y	N	N	A person's nickname
DD_AU_USR	PRSN_NM_MDL_NM	4	VARCHAR2(63)		Y	N	N	The middle name of a person
DD_AU_USR	PRSN_NM_LAST_NM	5	VARCHAR2(63)		Y	N	N	The person's last name
DD_AU_USR	PHONE_NUM	6	VARCHAR2(31)		Y	N	N	the primary contact phone number for a person
DD_AU_USR	EMAIL_ADR	7	VARCHAR2(63)	'0'	Y	N	N	The user's email address
DD_AU_USR	DESCR	8	VARCHAR2(255)		Y	N	N	
DD_AU_USR	RMD_CREAT_DT	9	DATE	SYSDATE	N	N	N	
DD_AU_USR	RMD_CREAT_PRCS	10	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_USR	RMD_DATA_OWN_GRP	11	VARCHAR2(4)	'0'	N	N	N	
DD_AU_USR	RMD_RSTR_LVL	12	NUMBER(10,0)	0	N	N	N	
DD_AU_USR	RMD_IN_USE_IND	13	NCHAR(1)	'Y'	N	N	N	
DD_AU_USR	RMD_PRODTN_DT	14	DATE		Y	N	N	
DD_AU_USR	RMD_MODF_DT	15	DATE	SYSDATE	N	N	N	
DD_AU_USR	RMD_MODF_PRCS	16	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_USR_AUTH_HIST	TM_INTRVL_BGN_DT	0	DATE	SYSDATE	N	Y	N	
DD_AU_USR_AUTH_HIST	TM_INTRVL_END_DT	1	DATE	'31-DEC-9999'	N	Y	N	
DD_AU_USR_AUTH_HIST	USR_ID	2	VARCHAR2(63)	'0'	N	Y	Y	the user id recognized by the Cisco authentication engine
DD_AU_USR_AUTH_HIST	ROLE_ID	3	VARCHAR2(4)	'0'	N	Y	Y	the unique database identifier assigned to each role
DD_AU_USR_AUTH_HIST	DATA_OWN_GRP	4	VARCHAR2(4)	'0'	N	N	Y	the group that owns the data record
DD_AU_USR_AUTH_HIST	RSTR_LVL	5	NUMBER(10,0)	0	N	N	Y	contains the security restriction number for this record
DD_AU_USR_AUTH_HIST	DESCR	6	VARCHAR2(255)		Y	N	N	
DD_AU_USR_AUTH_HIST	RMD_CREAT_DT	7	DATE	SYSDATE	N	N	N	

DD_AU_USR_AUTH_HIST	RMD_CREAT_PRCS	8	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_AU_USR_AUTH_HIST	RMD_DATA_OWN_GRP	9	VARCHAR2(4)	'0'	N	N	N	
DD_AU_USR_AUTH_HIST	RMD_RSTR_LVL	10	NUMBER(10,0)	0	N	N	N	
DD_AU_USR_AUTH_HIST	RMD_IN_USE_IND	11	NCHAR(1)	'Y'	N	N	N	
DD_AU_USR_AUTH_HIST	RMD_PRODTN_DT	12	DATE		Y	N	N	
DD_AU_USR_AUTH_HIST	RMD_MODF_DT	13	DATE	SYSDATE	N	N	N	
DD_AU_USR_AUTH_HIST	RMD_MODF_PRCS	14	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BM_BUS_MTRX	BU_KEY	0	NUMBER(10,0)	0	N	Y	Y	the generated key for the business unit
DD_BM_BUS_MTRX	CNCPT_ENTY_NM	1	VARCHAR2(63)	0	N	Y	Y	The name of the conceptual entity
DD_BM_BUS_MTRX	APPL_NM	2	VARCHAR2(63)	0	N	Y	Y	The name or label of the application
DD_BM_BUS_MTRX	DESCR	3	VARCHAR2(255)		Y	N	N	
DD_BM_BUS_MTRX	RMD_CREAT_DT	4	DATE	SYSDATE	N	N	N	
DD_BM_BUS_MTRX	RMD_CREAT_PRCS	5	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BM_BUS_MTRX	RMD_DATA_OWN_GRP	6	VARCHAR2(4)	'0'	N	N	N	
DD_BM_BUS_MTRX	RMD_RSTR_LVL	7	NUMBER(10,0)	0	N	N	N	
DD_BM_BUS_MTRX	RMD_IN_USE_IND	8	NCHAR(1)	'Y'	N	N	N	
DD_BM_BUS_MTRX	RMD_PRODTN_DT	9	DATE		Y	N	N	
DD_BM_BUS_MTRX	RMD_MODF_DT	10	DATE	SYSDATE	N	N	N	
DD_BM_BUS_MTRX	RMD_MODF_PRCS	11	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BM_BUS_UNT	BU_KEY	0	NUMBER(10,0)	0	N	Y	N	the generated key for the business unit
DD_BM_BUS_UNT	BU_NM	1	VARCHAR2(63)	'system default'	N	Y	N	the name of the business unit in the organizational chart
DD_BM_BUS_UNT	DATA_STWRD_TITL_CD	2	VARCHAR2(4)	'0'	N	N	Y	the courtesy title for the person
DD_BM_BUS_UNT	DATA_STWRD_FRST_NM	3	VARCHAR2(63)		Y	N	N	The person's first name
DD_BM_BUS_UNT	DATA_STWRD_NK_NM	4	VARCHAR2(63)		Y	N	N	A person's nickname
DD_BM_BUS_UNT	DATA_STWRD_MDL_NM	5	VARCHAR2(63)		Y	N	N	The middle name of a person
DD_BM_BUS_UNT	DATA_STWRD_LAST_NM	6	VARCHAR2(63)		Y	N	N	The person's last name
DD_BM_BUS_UNT	DESCR	7	VARCHAR2(255)		Y	N	N	
DD_BM_BUS_UNT	RMD_CREAT_DT	8	DATE	SYSDATE	N	N	N	
DD_BM_BUS_UNT	RMD_CREAT_PRCS	9	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BM_BUS_UNT	RMD_DATA_OWN_GRP	10	VARCHAR2(4)	'0'	N	N	N	
DD_BM_BUS_UNT	RMD_RSTR_LVL	11	NUMBER(10,0)	0	N	N	N	
DD_BM_BUS_UNT	RMD_IN_USE_IND	12	NCHAR(1)	'Y'	N	N	N	
DD_BM_BUS_UNT	RMD_PRODTN_DT	13	DATE		Y	N	N	
DD_BM_BUS_UNT	RMD_MODF_DT	14	DATE	SYSDATE	N	N	N	
DD_BM_BUS_UNT	RMD_MODF_PRCS	15	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BV_BDS	BDS_NM	0	VARCHAR2(127)		N	Y	N	the name or label of the business data object
DD_BV_BDS	BDS_TYP_CD	1	VARCHAR2(4)	'0'	N	N	Y	
DD_BV_BDS	BDS_SRC_NM	2	VARCHAR2(127)		Y	N	N	the name of the file in which the data term was found
DD_BV_BDS	DSSL_STRG_CD	3	VARCHAR2(4)	'0'	N	N	Y	the type of data storage
DD_BV_BDS	DSSL_STRG_SRVC	4	VARCHAR2(255)		Y	N	N	the name of the service that stores the file
DD_BV_BDS	DSSL_STRG_PATH	5	VARCHAR2(255)		Y	N	N	the path name to the storage location
DD_BV_BDS	DSSL_STRG_NM	6	VARCHAR2(255)		Y	N	N	the filename of the storage location
DD_BV_BDS	DESCR	7	VARCHAR2(255)		Y	N	N	
DD_BV_BDS	RMD_CREAT_DT	8	DATE	SYSDATE	N	N	N	
DD_BV_BDS	RMD_CREAT_PRCS	9	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BV_BDS	RMD_DATA_OWN_GRP	10	VARCHAR2(4)	'0'	N	N	N	
DD_BV_BDS	RMD_RSTR_LVL	11	NUMBER(10,0)	0	N	N	N	
DD_BV_BDS	RMD_IN_USE_IND	12	NCHAR(1)	'Y'	N	N	N	
DD_BV_BDS	RMD_PRODTN_DT	13	DATE		Y	N	N	
DD_BV_BDS	RMD_MODF_DT	14	DATE	SYSDATE	N	N	N	
DD_BV_BDS	RMD_MODF_PRCS	15	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BV_BDS_CMPNT	BDS_NM	0	VARCHAR2(127)		N	Y	Y	the name or label of the business data object
DD_BV_BDS_CMPNT	BDSC_NM	1	VARCHAR2(127)		N	Y	N	the name of a component of a business data structure.
DD_BV_BDS_CMPNT	SEQ_NBR	2	NUMBER(10,0)	1	N	N	N	The position of the attribute within the entity
DD_BV_BDS_CMPNT	BDC_CD	3	VARCHAR2(4)	'0'	N	N	Y	
DD_BV_BDS_CMPNT	DEFN	4	VARCHAR2(255)		Y	N	N	the definition or meaning of the business data object
DD_BV_BDS_CMPNT	DEFN_SRC	5	VARCHAR2(127)		Y	N	N	the name of the business unit that owns the business data object definition
DD_BV_BDS_CMPNT	DESCR	6	VARCHAR2(255)		Y	N	N	

DD_BV_BDS_CMPNT	RMD_CREAT_DT	7	DATE	SYSDATE	N	N	N	
DD_BV_BDS_CMPNT	RMD_CREAT_PRCS	8	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BV_BDS_CMPNT	RMD_DATA_OWN_GRP	9	VARCHAR2(4)	'0'	N	N	N	
DD_BV_BDS_CMPNT	RMD_RSTR_LVL	10	NUMBER(10,0)	0	N	N	N	
DD_BV_BDS_CMPNT	RMD_IN_USE_IND	11	NCHAR(1)	'Y'	N	N	N	
DD_BV_BDS_CMPNT	RMD_PRODTN_DT	12	DATE		Y	N	N	
DD_BV_BDS_CMPNT	RMD_MODF_DT	13	DATE	SYSDATE	N	N	N	
DD_BV_BDS_CMPNT	RMD_MODF_PRCS	14	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BV_BDT_DEFN	BDS_NM	0	VARCHAR2(127)		N	Y	Y	the name or label of the business data object
DD_BV_BDT_DEFN	DEFN_DT	1	DATE	SYSDATE	N	Y	N	A specific chronological date using calendar conventions.
DD_BV_BDT_DEFN	DEFN	2	VARCHAR2(255)		Y	N	N	the definition or meaning of the business data object
DD_BV_BDT_DEFN	DLC_PHS_CD	3	VARCHAR2(4)	'0'	N	N	Y	
DD_BV_BDT_DEFN	PROC_PHS_CD	4	VARCHAR2(4)	'0'	N	N	Y	
DD_BV_BDT_DEFN	DEFN_SRC	5	VARCHAR2(127)		Y	N	N	the name of the business unit that owns the business data object definition
DD_BV_BDT_DEFN	DATA_STWRD_TITL_CD	6	VARCHAR2(4)	'0'	N	N	Y	the courtesy title for the person
DD_BV_BDT_DEFN	DATA_STWRD_FRST_NM	7	VARCHAR2(63)		Y	N	N	The person's first name
DD_BV_BDT_DEFN	DATA_STWRD_NK_NM	8	VARCHAR2(63)		Y	N	N	A person's nickname
DD_BV_BDT_DEFN	DATA_STWRD_MDL_NM	9	VARCHAR2(63)		Y	N	N	The middle name of a person
DD_BV_BDT_DEFN	DATA_STWRD_LAST_NM	10	VARCHAR2(63)		Y	N	N	The person's last name
DD_BV_BDT_DEFN	DOC_LOC_STRG_CD	11	VARCHAR2(4)	'0'	N	N	Y	the type of data storage
DD_BV_BDT_DEFN	DOC_LOC_STRG_SRVC	12	VARCHAR2(255)		Y	N	N	the name of the service that stores the file
DD_BV_BDT_DEFN	DOC_LOC_STRG_PATH	13	VARCHAR2(255)		Y	N	N	the path name to the storage location
DD_BV_BDT_DEFN	DOC_LOC_STRG_NM	14	VARCHAR2(255)		Y	N	N	the filename of the storage location
DD_BV_BDT_DEFN	DESCR	15	VARCHAR2(255)		Y	N	N	
DD_BV_BDT_DEFN	RMD_CREAT_DT	16	DATE	SYSDATE	N	N	N	
DD_BV_BDT_DEFN	RMD_CREAT_PRCS	17	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BV_BDT_DEFN	RMD_DATA_OWN_GRP	18	VARCHAR2(4)	'0'	N	N	N	
DD_BV_BDT_DEFN	RMD_RSTR_LVL	19	NUMBER(10,0)	0	N	N	N	
DD_BV_BDT_DEFN	RMD_IN_USE_IND	20	NCHAR(1)	'Y'	N	N	N	
DD_BV_BDT_DEFN	RMD_PRODTN_DT	21	DATE		Y	N	N	
DD_BV_BDT_DEFN	RMD_MODF_DT	22	DATE	SYSDATE	N	N	N	
DD_BV_BDT_DEFN	RMD_MODF_PRCS	23	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BV_THSRS	FRM_BDS	0	VARCHAR2(127)		N	Y	Y	the name or label of the business data object
DD_BV_THSRS	TO_BDS	1	VARCHAR2(127)		N	Y	Y	the name or label of the business data object
DD_BV_THSRS	SEQ_NBR	2	NUMBER(10,0)	1	N	Y	N	The position of the attribute within the entity
DD_BV_THSRS	BDS_RELAT_CD	3	VARCHAR2(4)	'0'	N	N	Y	
DD_BV_THSRS	DESCR	4	VARCHAR2(255)		Y	N	N	
DD_BV_THSRS	RMD_CREAT_DT	5	DATE	SYSDATE	N	N	N	
DD_BV_THSRS	RMD_CREAT_PRCS	6	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_BV_THSRS	RMD_DATA_OWN_GRP	7	VARCHAR2(4)	'0'	N	N	N	
DD_BV_THSRS	RMD_RSTR_LVL	8	NUMBER(10,0)	0	N	N	N	
DD_BV_THSRS	RMD_IN_USE_IND	9	NCHAR(1)	'Y'	N	N	N	
DD_BV_THSRS	RMD_PRODTN_DT	10	DATE		Y	N	N	
DD_BV_THSRS	RMD_MODF_DT	11	DATE	SYSDATE	N	N	N	
DD_BV_THSRS	RMD_MODF_PRCS	12	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_CDM_CNCPT_ENTY	CNCPT_ENTY_NM	0	VARCHAR2(63)	0	N	Y	N	The name of the conceptual entity
DD_CDM_CNCPT_ENTY	ENTY_TYP_CD	1	VARCHAR2(4)	'0'	N	N	Y	
DD_CDM_CNCPT_ENTY	BDS_NM	2	VARCHAR2(127)		N	N	Y	the name or label of the business data object
DD_CDM_CNCPT_ENTY	DESCR	3	VARCHAR2(255)		Y	N	N	
DD_CDM_CNCPT_ENTY	RMD_CREAT_DT	4	DATE	SYSDATE	N	N	N	
DD_CDM_CNCPT_ENTY	RMD_CREAT_PRCS	5	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_CDM_CNCPT_ENTY	RMD_DATA_OWN_GRP	6	VARCHAR2(4)	'0'	N	N	N	
DD_CDM_CNCPT_ENTY	RMD_RSTR_LVL	7	NUMBER(10,0)	0	N	N	N	
DD_CDM_CNCPT_ENTY	RMD_IN_USE_IND	8	NCHAR(1)	'Y'	N	N	N	
DD_CDM_CNCPT_ENTY	RMD_PRODTN_DT	9	DATE		Y	N	N	
DD_CDM_CNCPT_ENTY	RMD_MODF_DT	10	DATE	SYSDATE	N	N	N	
DD_CDM_CNCPT_ENTY	RMD_MODF_PRCS	11	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_CDM_CNCPT_ENTY_CMPNT	CNCPT_ENTY_NM	0	VARCHAR2(63)	0	N	Y	Y	The name of the conceptual entity

DD_CDM_CNCPT_ENTY_CMPNT	CMPNT_NM	1	VARCHAR2(127)		N	Y	N	The name of the entity component
DD_CDM_CNCPT_ENTY_CMPNT	SEQ_NBR	2	NUMBER(10,0)	1	N	N	N	The position of the attribute within the entity
DD_CDM_CNCPT_ENTY_CMPNT	CMPNT_PRPS_CD	3	VARCHAR2(4)	'0'	N	N	Y	
DD_CDM_CNCPT_ENTY_CMPNT	CRDN_TYP_CD	4	VARCHAR2(4)	'0'	N	N	Y	
DD_CDM_CNCPT_ENTY_CMPNT	OCCUR_CD	5	VARCHAR2(4)	'0'	N	N	Y	
DD_CDM_CNCPT_ENTY_CMPNT	DESCR	6	VARCHAR2(255)		Y	N	N	
DD_CDM_CNCPT_ENTY_CMPNT	RMD_CREAT_DT	7	DATE	SYSDATE	N	N	N	
DD_CDM_CNCPT_ENTY_CMPNT	RMD_CREAT_PRCS	8	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_CDM_CNCPT_ENTY_CMPNT	RMD_DATA_OWN_GRP	9	VARCHAR2(4)	'0'	N	N	N	
DD_CDM_CNCPT_ENTY_CMPNT	RMD_RSTR_LVL	10	NUMBER(10,0)	0	N	N	N	
DD_CDM_CNCPT_ENTY_CMPNT	RMD_IN_USE_IND	11	NCHAR(1)	'Y'	N	N	N	
DD_CDM_CNCPT_ENTY_CMPNT	RMD_PRODTN_DT	12	DATE		Y	N	N	
DD_CDM_CNCPT_ENTY_CMPNT	RMD_MODF_DT	13	DATE	SYSDATE	N	N	N	
DD_CDM_CNCPT_ENTY_CMPNT	RMD_MODF_PRCS	14	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_CDM_CNCPT_ENTY_RLTN	MSTR_DATA_ENTY_NM	0	VARCHAR2(63)	0	N	Y	Y	The name of the conceptual entity
DD_CDM_CNCPT_ENTY_RLTN	MEAS_ENTY_NM	1	VARCHAR2(63)	0	N	Y	Y	The name of the conceptual entity
DD_CDM_CNCPT_ENTY_RLTN	SEQ_NBR	2	NUMBER(10,0)	1	N	Y	N	The position of the attribute within the entity
DD_CDM_CNCPT_ENTY_RLTN	RLTNSHP_CD	3	VARCHAR2(4)	'0'	N	N	Y	
DD_CDM_CNCPT_ENTY_RLTN	DESCR	4	VARCHAR2(255)		Y	N	N	
DD_CDM_CNCPT_ENTY_RLTN	RMD_CREAT_DT	5	DATE	SYSDATE	N	N	N	
DD_CDM_CNCPT_ENTY_RLTN	RMD_CREAT_PRCS	6	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_CDM_CNCPT_ENTY_RLTN	RMD_DATA_OWN_GRP	7	VARCHAR2(4)	'0'	N	N	N	
DD_CDM_CNCPT_ENTY_RLTN	RMD_RSTR_LVL	8	NUMBER(10,0)	0	N	N	N	
DD_CDM_CNCPT_ENTY_RLTN	RMD_IN_USE_IND	9	NCHAR(1)	'Y'	N	N	N	
DD_CDM_CNCPT_ENTY_RLTN	RMD_PRODTN_DT	10	DATE		Y	N	N	
DD_CDM_CNCPT_ENTY_RLTN	RMD_MODF_DT	11	DATE	SYSDATE	N	N	N	
DD_CDM_CNCPT_ENTY_RLTN	RMD_MODF_PRCS	12	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_IA_APPL	APPL_ID	0	VARCHAR2(4)	'0'	N	Y	N	The code that identifies the source application where the data was created
DD_IA_APPL	APPL_NM	1	VARCHAR2(63)	0	N	Y	N	The name or label of the application
DD_IA_APPL	CNTCT_TITL_CD	2	VARCHAR2(4)	'0'	N	N	Y	the courtesy title for the person
DD_IA_APPL	CNTCT_FRST_NM	3	VARCHAR2(63)		Y	N	N	The person's first name
DD_IA_APPL	CNTCT_NK_NM	4	VARCHAR2(63)		Y	N	N	A person's nickname
DD_IA_APPL	CNTCT_MDL_NM	5	VARCHAR2(63)		Y	N	N	The middle name of a person
DD_IA_APPL	CNTCT_LAST_NM	6	VARCHAR2(63)		Y	N	N	The person's last name
DD_IA_APPL	DESCR	7	VARCHAR2(255)		Y	N	N	
DD_IA_APPL	RMD_CREAT_DT	8	DATE	SYSDATE	N	N	N	
DD_IA_APPL	RMD_CREAT_PRCS	9	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_IA_APPL	RMD_DATA_OWN_GRP	10	VARCHAR2(4)	'0'	N	N	N	
DD_IA_APPL	RMD_RSTR_LVL	11	NUMBER(10,0)	0	N	N	N	
DD_IA_APPL	RMD_IN_USE_IND	12	NCHAR(1)	'Y'	N	N	N	
DD_IA_APPL	RMD_PRODTN_DT	13	DATE		Y	N	N	
DD_IA_APPL	RMD_MODF_DT	14	DATE	SYSDATE	N	N	N	
DD_IA_APPL	RMD_MODF_PRCS	15	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_IA_APPL_FLD	APPL_ID	0	VARCHAR2(4)	'0'	N	Y	Y	The code that identifies the source application where the data was created
DD_IA_APPL_FLD	FUNC_ID	1	NUMBER(10,0)	0	N	Y	Y	The order of series of the functions of an application
DD_IA_APPL_FLD	DATA_ELMT_ID	2	NUMBER(10,0)	0	N	Y	N	An attribute used to order a series of business data objects.
DD_IA_APPL_FLD	DATA_ELMT_NM	3	VARCHAR2(63)		Y	N	N	The name of the data element
DD_IA_APPL_FLD	DATA_SLCTN_PRC	4	VARCHAR2(255)		Y	N	N	how a data column is selected for an application field
DD_IA_APPL_FLD	DESCR	5	VARCHAR2(255)		Y	N	N	
DD_IA_APPL_FLD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N	
DD_IA_APPL_FLD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_IA_APPL_FLD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N	
DD_IA_APPL_FLD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N	
DD_IA_APPL_FLD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N	
DD_IA_APPL_FLD	RMD_PRODTN_DT	11	DATE		Y	N	N	
DD_IA_APPL_FLD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N	
DD_IA_APPL_FLD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_IA_APPL_FLD_SLCTN	APPL_ID	0	VARCHAR2(4)	'0'	N	Y	Y	The code that identifies the source application where the data was created

DD_IA_APPL_FLD_SLCTN	FUNC_ID	1	NUMBER(10,0)	0	N	Y	Y	The order of series of the functions of an application
DD_IA_APPL_FLD_SLCTN	DATA_ELMT_ID	2	NUMBER(10,0)	0	N	Y	Y	An attribute used to order a series of business data objects.
DD_IA_APPL_FLD_SLCTN	DB_ID	3	VARCHAR2(4)	'0'	N	Y	Y	The coded name of the database that is implemented
DD_IA_APPL_FLD_SLCTN	CD_DB_TBL_NM	4	VARCHAR2(31)		N	Y	Y	The short name of the table in the physical database
DD_IA_APPL_FLD_SLCTN	CD_TBL_COL_NM	5	VARCHAR2(31)		N	Y	Y	The short name of the column in the physical database
DD_IA_APPL_FLD_SLCTN	DESCR	6	VARCHAR2(255)		Y	N	N	
DD_IA_APPL_FLD_SLCTN	RMD_CREAT_DT	7	DATE	SYSDATE	N	N	N	
DD_IA_APPL_FLD_SLCTN	RMD_CREAT_PRCS	8	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_IA_APPL_FLD_SLCTN	RMD_DATA_OWN_GRP	9	VARCHAR2(4)	'0'	N	N	N	
DD_IA_APPL_FLD_SLCTN	RMD_RSTR_LVL	10	NUMBER(10,0)	0	N	N	N	
DD_IA_APPL_FLD_SLCTN	RMD_IN_USE_IND	11	NCHAR(1)	'Y'	N	N	N	
DD_IA_APPL_FLD_SLCTN	RMD_PRODTN_DT	12	DATE		Y	N	N	
DD_IA_APPL_FLD_SLCTN	RMD_MODF_DT	13	DATE	SYSDATE	N	N	N	
DD_IA_APPL_FLD_SLCTN	RMD_MODF_PRCS	14	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_IA_APPL_FUNC	APPL_ID	0	VARCHAR2(4)	'0'	N	Y	Y	The code that identifies the source application where the data was created
DD_IA_APPL_FUNC	FUNC_ID	1	NUMBER(10,0)	0	N	Y	N	The order of series of the functions of an application
DD_IA_APPL_FUNC	FUNC_NM	2	VARCHAR2(63)		Y	N	N	the name of the application function
DD_IA_APPL_FUNC	DATA_STWRD_TITL_CD	3	VARCHAR2(4)	'0'	N	N	Y	the courtesy title for the person
DD_IA_APPL_FUNC	DATA_STWRD_FRST_NM	4	VARCHAR2(63)		Y	N	N	The person's first name
DD_IA_APPL_FUNC	DATA_STWRD_NK_NM	5	VARCHAR2(63)		Y	N	N	A person's nickname
DD_IA_APPL_FUNC	DATA_STWRD_MDL_NM	6	VARCHAR2(63)		Y	N	N	The middle name of a person
DD_IA_APPL_FUNC	DATA_STWRD_LAST_NM	7	VARCHAR2(63)		Y	N	N	The person's last name
DD_IA_APPL_FUNC	NS_SRVC_CD	8	VARCHAR2(4)	'0'	N	N	N	the coded value of the network service
DD_IA_APPL_FUNC	NS_SRVR_NM	9	VARCHAR2(255)		Y	N	N	the name of the network service
DD_IA_APPL_FUNC	NS_PATH_NM	10	VARCHAR2(255)		Y	N	N	the name of the path from the server to the object
DD_IA_APPL_FUNC	NS_OBJ_NM	11	VARCHAR2(255)		Y	N	N	the name of the application on the network
DD_IA_APPL_FUNC	NS_CNCT_STR	12	VARCHAR2(255)		Y	N	N	The parameter list and value needed to connect to the DBMS server
DD_IA_APPL_FUNC	NS_USR_NM	13	VARCHAR2(63)		Y	N	N	the name of the database user
DD_IA_APPL_FUNC	NS_PSWD	14	VARCHAR2(63)		Y	N	N	the password required to get access to an object
DD_IA_APPL_FUNC	DESCR	15	VARCHAR2(255)		Y	N	N	
DD_IA_APPL_FUNC	RMD_CREAT_DT	16	DATE	SYSDATE	N	N	N	
DD_IA_APPL_FUNC	RMD_CREAT_PRCS	17	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_IA_APPL_FUNC	RMD_DATA_OWN_GRP	18	VARCHAR2(4)	'0'	N	N	N	
DD_IA_APPL_FUNC	RMD_RSTR_LVL	19	NUMBER(10,0)	0	N	N	N	
DD_IA_APPL_FUNC	RMD_IN_USE_IND	20	NCHAR(1)	'Y'	N	N	N	
DD_IA_APPL_FUNC	RMD_PRODTN_DT	21	DATE		Y	N	N	
DD_IA_APPL_FUNC	RMD_MODF_DT	22	DATE	SYSDATE	N	N	N	
DD_IA_APPL_FUNC	RMD_MODF_PRCS	23	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_IA_APPL_IMPL	APPL_ID	0	VARCHAR2(4)	'0'	N	Y	Y	The code that identifies the source application where the data was created
DD_IA_APPL_IMPL	APPL_NBR	1	NUMBER(10,0)	0	N	Y	N	used to order a series of business data objects.
DD_IA_APPL_IMPL	APPL_NM	2	VARCHAR2(63)	0	N	N	N	The name or label of the application
DD_IA_APPL_IMPL	DVLP_TYP_CD	3	VARCHAR2(4)	'0'	N	N	Y	
DD_IA_APPL_IMPL	PRIPTY	4	NUMBER(10,0)	0	N	N	N	The order in which the applications are processed
DD_IA_APPL_IMPL	CNTCT_TITL_CD	5	VARCHAR2(4)	'0'	N	N	Y	the courtesy title for the person
DD_IA_APPL_IMPL	CNTCT_FRST_NM	6	VARCHAR2(63)		Y	N	N	The person's first name
DD_IA_APPL_IMPL	CNTCT_NK_NM	7	VARCHAR2(63)		Y	N	N	A person's nickname
DD_IA_APPL_IMPL	CNTCT_MDL_NM	8	VARCHAR2(63)		Y	N	N	The middle name of a person
DD_IA_APPL_IMPL	CNTCT_LAST_NM	9	VARCHAR2(63)		Y	N	N	The person's last name
DD_IA_APPL_IMPL	NS_SRVC_CD	10	VARCHAR2(4)	'0'	N	N	N	the coded value of the network service
DD_IA_APPL_IMPL	NS_SRVR_NM	11	VARCHAR2(255)		Y	N	N	the name of the network service
DD_IA_APPL_IMPL	NS_PATH_NM	12	VARCHAR2(255)		Y	N	N	the name of the path from the server to the object
DD_IA_APPL_IMPL	NS_OBJ_NM	13	VARCHAR2(255)		Y	N	N	the name of the application on the network
DD_IA_APPL_IMPL	NS_CNCT_STR	14	VARCHAR2(255)		Y	N	N	The parameter list and value needed to connect to the DBMS server
DD_IA_APPL_IMPL	NS_USR_NM	15	VARCHAR2(63)		Y	N	N	the name of the database user
DD_IA_APPL_IMPL	NS_PSWD	16	VARCHAR2(63)		Y	N	N	the password required to get access to an object
DD_IA_APPL_IMPL	DESCR	17	VARCHAR2(255)		Y	N	N	
DD_IA_APPL_IMPL	RMD_CREAT_DT	18	DATE	SYSDATE	N	N	N	
DD_IA_APPL_IMPL	RMD_CREAT_PRCS	19	VARCHAR2(63)	'UNSIGNED'	N	N	N	

DD_IA_APPL_IMPL	RMD_DATA_OWN_GRP	20	VARCHAR2(4)	'0'	N	N	N	
DD_IA_APPL_IMPL	RMD_RSTR_LVL	21	NUMBER(10,0)	0	N	N	N	
DD_IA_APPL_IMPL	RMD_IN_USE_IND	22	NCHAR(1)	'Y'	N	N	N	
DD_IA_APPL_IMPL	RMD_PRODTN_DT	23	DATE		Y	N	N	
DD_IA_APPL_IMPL	RMD_MODF_DT	24	DATE	SYSDATE	N	N	N	
DD_IA_APPL_IMPL	RMD_MODF_PRCS	25	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_ID_DB	DB_ID	0	VARCHAR2(4)	'0'	N	Y	N	The coded name of the database that is implemented
DD_ID_DB	DB_NM	1	VARCHAR2(63)		Y	N	N	The name or label of the database that is implemented
DD_ID_DB	DB_TYP_CD	2	VARCHAR2(4)	'0'	N	N	Y	
DD_ID_DB	DATA_STWRD_TITL_CD	3	VARCHAR2(4)	'0'	N	N	Y	the courtesy title for the person
DD_ID_DB	DATA_STWRD_FRST_NM	4	VARCHAR2(63)		Y	N	N	The person's first name
DD_ID_DB	DATA_STWRD_NK_NM	5	VARCHAR2(63)		Y	N	N	A person's nickname
DD_ID_DB	DATA_STWRD_MDL_NM	6	VARCHAR2(63)		Y	N	N	The middle name of a person
DD_ID_DB	DATA_STWRD_LAST_NM	7	VARCHAR2(63)		Y	N	N	The person's last name
DD_ID_DB	DESCR	8	VARCHAR2(255)		Y	N	N	
DD_ID_DB	RMD_CREAT_DT	9	DATE	SYSDATE	N	N	N	
DD_ID_DB	RMD_CREAT_PRCS	10	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_ID_DB	RMD_DATA_OWN_GRP	11	VARCHAR2(4)	'0'	N	N	N	
DD_ID_DB	RMD_RSTR_LVL	12	NUMBER(10,0)	0	N	N	N	
DD_ID_DB	RMD_IN_USE_IND	13	NCHAR(1)	'Y'	N	N	N	
DD_ID_DB	RMD_PRODTN_DT	14	DATE		Y	N	N	
DD_ID_DB	RMD_MODF_DT	15	DATE	SYSDATE	N	N	N	
DD_ID_DB	RMD_MODF_PRCS	16	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_ID_DB_IMPL	DB_ID	0	VARCHAR2(4)	'0'	N	Y	Y	The coded name of the database that is implemented
DD_ID_DB_IMPL	DB_NBR	1	NUMBER(10,0)	0	N	Y	N	a number to distinguish between different implementations of the same database
DD_ID_DB_IMPL	DBMS_CD	2	VARCHAR2(4)	'0'	N	N	Y	
DD_ID_DB_IMPL	IMPL_CD	3	VARCHAR2(4)	'0'	N	N	Y	
DD_ID_DB_IMPL	DB_ACS_SRVC_CD	4	VARCHAR2(4)	'0'	N	N	Y	the coded value of the network service
DD_ID_DB_IMPL	DB_ACS_SRVR_NM	5	VARCHAR2(255)		Y	N	N	the name of the network service
DD_ID_DB_IMPL	DB_ACS_PATH_NM	6	VARCHAR2(255)		Y	N	N	the name of the path from the server to the object
DD_ID_DB_IMPL	DB_ACS_OBJ_NM	7	VARCHAR2(255)		Y	N	N	the name of the application on the network
DD_ID_DB_IMPL	DB_ACS_CNCT_STR	8	VARCHAR2(255)		Y	N	N	The parameter list and value needed to connect to the DBMS server
DD_ID_DB_IMPL	DB_ACS_USR_NM	9	VARCHAR2(63)		Y	N	N	the name of the database user
DD_ID_DB_IMPL	DB_ACS_PSWD	10	VARCHAR2(63)		Y	N	N	the password required to get access to an object
DD_ID_DB_IMPL	DBA_TITL_CD	11	VARCHAR2(4)	'0'	N	N	Y	the courtesy title for the person
DD_ID_DB_IMPL	DBA_FRST_NM	12	VARCHAR2(63)		Y	N	N	The person's first name
DD_ID_DB_IMPL	DBA_NK_NM	13	VARCHAR2(63)		Y	N	N	A person's nickname
DD_ID_DB_IMPL	DBA_MDL_NM	14	VARCHAR2(63)		Y	N	N	The middle name of a person
DD_ID_DB_IMPL	DBA_LAST_NM	15	VARCHAR2(63)		Y	N	N	The person's last name
DD_ID_DB_IMPL	DESCR	16	VARCHAR2(255)		Y	N	N	
DD_ID_DB_IMPL	RMD_CREAT_DT	17	DATE	SYSDATE	N	N	N	
DD_ID_DB_IMPL	RMD_CREAT_PRCS	18	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_ID_DB_IMPL	RMD_DATA_OWN_GRP	19	VARCHAR2(4)	'0'	N	N	N	
DD_ID_DB_IMPL	RMD_RSTR_LVL	20	NUMBER(10,0)	0	N	N	N	
DD_ID_DB_IMPL	RMD_IN_USE_IND	21	NCHAR(1)	'Y'	N	N	N	
DD_ID_DB_IMPL	RMD_PRODTN_DT	22	DATE		Y	N	N	
DD_ID_DB_IMPL	RMD_MODF_DT	23	DATE	SYSDATE	N	N	N	
DD_ID_DB_IMPL	RMD_MODF_PRCS	24	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_ID_DB_TBL	DB_ID	0	VARCHAR2(4)	'0'	N	Y	Y	The coded name of the database that is implemented
DD_ID_DB_TBL	CD_DB_TBL_NM	1	VARCHAR2(31)		N	Y	N	The short name of the table in the physical database
DD_ID_DB_TBL	TBL_NM	2	VARCHAR2(63)		Y	N	N	The business name of the table
DD_ID_DB_TBL	DB_LYR_CD	3	VARCHAR2(4)	'0'	N	N	Y	
DD_ID_DB_TBL	DATA_STWRD_TITL_CD	4	VARCHAR2(4)	'0'	N	N	Y	the courtesy title for the person
DD_ID_DB_TBL	DATA_STWRD_FRST_NM	5	VARCHAR2(63)		Y	N	N	The person's first name
DD_ID_DB_TBL	DATA_STWRD_NK_NM	6	VARCHAR2(63)		Y	N	N	A person's nickname
DD_ID_DB_TBL	DATA_STWRD_MDL_NM	7	VARCHAR2(63)		Y	N	N	The middle name of a person
DD_ID_DB_TBL	DATA_STWRD_LAST_NM	8	VARCHAR2(63)		Y	N	N	The person's last name
DD_ID_DB_TBL	SSOT_IND	9	NCHAR(1)	'0'	N	N	N	Indicates whether this table represents a single source of true data

DD_ID_DB_TBL	DESCR	10	VARCHAR2(255)		Y	N	N	
DD_ID_DB_TBL	RMD_CREAT_DT	11	DATE	SYSDATE	N	N	N	
DD_ID_DB_TBL	RMD_CREAT_PRCS	12	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_ID_DB_TBL	RMD_DATA_OWN_GRP	13	VARCHAR2(4)	'0'	N	N	N	
DD_ID_DB_TBL	RMD_RSTR_LVL	14	NUMBER(10,0)	0	N	N	N	
DD_ID_DB_TBL	RMD_IN_USE_IND	15	NCHAR(1)	'Y'	N	N	N	
DD_ID_DB_TBL	RMD_PRODTN_DT	16	DATE		Y	N	N	
DD_ID_DB_TBL	RMD_MODF_DT	17	DATE	SYSDATE	N	N	N	
DD_ID_DB_TBL	RMD_MODF_PRCS	18	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_ID_DB_TBL_COL	DB_ID	0	VARCHAR2(4)	'0'	N	Y	Y	The coded name of the database that is implemented
DD_ID_DB_TBL_COL	CD_DB_TBL_NM	1	VARCHAR2(31)		N	Y	Y	The short name of the table in the physical database
DD_ID_DB_TBL_COL	CD_TBL_COL_NM	2	VARCHAR2(31)		N	Y	N	The short name of the column in the physical database
DD_ID_DB_TBL_COL	TBL_COL_NM	3	VARCHAR2(63)		Y	N	N	The business name or label of the table column
DD_ID_DB_TBL_COL	SEQ_NBR	4	NUMBER(10,0)	1	N	N	N	The position of the attribute within the entity
DD_ID_DB_TBL_COL	CD_TBL_NM	5	VARCHAR2(31)	0	N	N	Y	The short name of the entity in the logical database
DD_ID_DB_TBL_COL	CD_COL_NM	6	VARCHAR2(31)		N	N	Y	The short name of the column in the logical database
DD_ID_DB_TBL_COL	PHYS_DATA_TYP	7	VARCHAR2(31)		Y	N	N	The implemented data type of the table column
DD_ID_DB_TBL_COL	COL_WIDTH	8	NUMBER(10,0)	0	N	N	N	The number of bytes used by the implemented data type
DD_ID_DB_TBL_COL	DEC_CNT	9	NUMBER(10,0)	0	N	N	N	The number of decimal places in the implemented data type
DD_ID_DB_TBL_COL	DFALT_VALUE	10	VARCHAR2(31)		Y	N	N	The default value of the attribute or column
DD_ID_DB_TBL_COL	NULL_IND	11	NCHAR(1)	'0'	N	N	Y	Indicates whether or not the attribute or column is allowed to be null
DD_ID_DB_TBL_COL	KEY_IND	12	NCHAR(1)	'0'	N	N	Y	Indicates whether the column is part of the table key
DD_ID_DB_TBL_COL	FRGN_KEY_IND	13	NCHAR(1)	'0'	N	N	Y	Indicates whether the column is a foreign key
DD_ID_DB_TBL_COL	DESCR	14	VARCHAR2(255)		Y	N	N	
DD_ID_DB_TBL_COL	RMD_CREAT_DT	15	DATE	SYSDATE	N	N	N	
DD_ID_DB_TBL_COL	RMD_CREAT_PRCS	16	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_ID_DB_TBL_COL	RMD_DATA_OWN_GRP	17	VARCHAR2(4)	'0'	N	N	N	
DD_ID_DB_TBL_COL	RMD_RSTR_LVL	18	NUMBER(10,0)	0	N	N	N	
DD_ID_DB_TBL_COL	RMD_IN_USE_IND	19	NCHAR(1)	'Y'	N	N	N	
DD_ID_DB_TBL_COL	RMD_PRODTN_DT	20	DATE		Y	N	N	
DD_ID_DB_TBL_COL	RMD_MODF_DT	21	DATE	SYSDATE	N	N	N	
DD_ID_DB_TBL_COL	RMD_MODF_PRCS	22	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LDM_LGL_TBL	LGCL_TBL_NM	0	VARCHAR2(63)	'system default'	N	Y	N	
DD_LDM_LGL_TBL	LGCL_TBL_CD	1	VARCHAR2(4)	'0'	N	N	Y	
DD_LDM_LGL_TBL	CNCPT_ENTY_NM	2	VARCHAR2(63)	0	N	N	Y	The name of the conceptual entity
DD_LDM_LGL_TBL	DESCR	3	VARCHAR2(255)		Y	N	N	
DD_LDM_LGL_TBL	RMD_CREAT_DT	4	DATE	SYSDATE	N	N	N	
DD_LDM_LGL_TBL	RMD_CREAT_PRCS	5	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LDM_LGL_TBL	RMD_DATA_OWN_GRP	6	VARCHAR2(4)	'0'	N	N	N	
DD_LDM_LGL_TBL	RMD_RSTR_LVL	7	NUMBER(10,0)	0	N	N	N	
DD_LDM_LGL_TBL	RMD_IN_USE_IND	8	NCHAR(1)	'Y'	N	N	N	
DD_LDM_LGL_TBL	RMD_PRODTN_DT	9	DATE		Y	N	N	
DD_LDM_LGL_TBL	RMD_MODF_DT	10	DATE	SYSDATE	N	N	N	
DD_LDM_LGL_TBL	RMD_MODF_PRCS	11	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LDM_LGL_TBL_ATTR	LGCL_TBL_NM	0	VARCHAR2(63)	'system default'	N	Y	Y	
DD_LDM_LGL_TBL_ATTR	LGCL_ATTR_NM	1	VARCHAR2(127)	0	N	Y	N	the name of an attribute in a logical table
DD_LDM_LGL_TBL_ATTR	SEQ_NBR	2	NUMBER(10,0)	1	N	N	N	The position of the attribute within the entity
DD_LDM_LGL_TBL_ATTR	CD_LGCL_DAT_TYP_NM	3	VARCHAR2(31)	0	N	N	Y	The short name of the logical data type used to describe the attribute in the logical database
DD_LDM_LGL_TBL_ATTR	DFALT_VALUE	4	VARCHAR2(31)		Y	N	N	The default value of the attribute or column
DD_LDM_LGL_TBL_ATTR	DESCR	5	VARCHAR2(255)		Y	N	N	
DD_LDM_LGL_TBL_ATTR	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N	
DD_LDM_LGL_TBL_ATTR	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LDM_LGL_TBL_ATTR	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N	
DD_LDM_LGL_TBL_ATTR	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N	
DD_LDM_LGL_TBL_ATTR	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N	
DD_LDM_LGL_TBL_ATTR	RMD_PRODTN_DT	11	DATE		Y	N	N	
DD_LDM_LGL_TBL_ATTR	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N	
DD_LDM_LGL_TBL_ATTR	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N	



DD_LDM_LGL_TBL_ATTR_RSLTN	CD_TBL_NM	0	VARCHAR2(31)	0	N	Y	Y	The short name of the entity in the logical database
DD_LDM_LGL_TBL_ATTR_RSLTN	CD_COL_NM	1	VARCHAR2(31)		N	Y	Y	The short name of the column in the logical database
DD_LDM_LGL_TBL_ATTR_RSLTN	SEQ_NBR	2	NUMBER(10,0)	1	N	N	N	The position of the attribute within the entity
DD_LDM_LGL_TBL_ATTR_RSLTN	LGCL_TBL_NM	3	VARCHAR2(63)	'system default'	N	N	Y	
DD_LDM_LGL_TBL_ATTR_RSLTN	LGCL_ATTR_NM	4	VARCHAR2(127)	0	N	N	Y	the name of an attribute in a logical table
DD_LDM_LGL_TBL_ATTR_RSLTN	DESCR	5	VARCHAR2(255)		Y	N	N	
DD_LDM_LGL_TBL_ATTR_RSLTN	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N	
DD_LDM_LGL_TBL_ATTR_RSLTN	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LDM_LGL_TBL_ATTR_RSLTN	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N	
DD_LDM_LGL_TBL_ATTR_RSLTN	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N	
DD_LDM_LGL_TBL_ATTR_RSLTN	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N	
DD_LDM_LGL_TBL_ATTR_RSLTN	RMD_PRODTN_DT	11	DATE		Y	N	N	
DD_LDM_LGL_TBL_ATTR_RSLTN	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N	
DD_LDM_LGL_TBL_ATTR_RSLTN	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LDM_LGL_TBL_RLTN	MSTR_LGL_TBL_NM	0	VARCHAR2(63)	'system default'	N	Y	Y	
DD_LDM_LGL_TBL_RLTN	DPNT_LGL_TBL_NM	1	VARCHAR2(63)	'system default'	N	Y	Y	
DD_LDM_LGL_TBL_RLTN	SEQ_NBR	2	NUMBER(10,0)	1	N	Y	N	The position of the attribute within the entity
DD_LDM_LGL_TBL_RLTN	RLTNSHP_CD	3	VARCHAR2(4)	'0'	N	N	Y	
DD_LDM_LGL_TBL_RLTN	DESCR	4	VARCHAR2(255)		Y	N	N	
DD_LDM_LGL_TBL_RLTN	RMD_CREAT_DT	5	DATE	SYSDATE	N	N	N	
DD_LDM_LGL_TBL_RLTN	RMD_CREAT_PRCS	6	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LDM_LGL_TBL_RLTN	RMD_DATA_OWN_GRP	7	VARCHAR2(4)	'0'	N	N	N	
DD_LDM_LGL_TBL_RLTN	RMD_RSTR_LVL	8	NUMBER(10,0)	0	N	N	N	
DD_LDM_LGL_TBL_RLTN	RMD_IN_USE_IND	9	NCHAR(1)	'Y'	N	N	N	
DD_LDM_LGL_TBL_RLTN	RMD_PRODTN_DT	10	DATE		Y	N	N	
DD_LDM_LGL_TBL_RLTN	RMD_MODF_DT	11	DATE	SYSDATE	N	N	N	
DD_LDM_LGL_TBL_RLTN	RMD_MODF_PRCS	12	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LT_LGCL_ATTR_PTRN	ENTY_PTRN_NBR	0	NUMBER(10,0)	0	N	Y	N	the number of the entity pattern
DD_LT_LGCL_ATTR_PTRN	ENTY_PTRN_SHT_NM	1	VARCHAR2(63)		Y	N	N	the abbreviation of the entity pattern name
DD_LT_LGCL_ATTR_PTRN	ENTY_PTRN_NM	2	VARCHAR2(127)		Y	N	N	the name of the entity pattern used in the conceptual model analysis
DD_LT_LGCL_ATTR_PTRN	CMPNT_PRPS_CD	3	VARCHAR2(4)	'0'	N	Y	Y	
DD_LT_LGCL_ATTR_PTRN	CRDN_TYP_CD	4	VARCHAR2(4)	'0'	N	Y	Y	
DD_LT_LGCL_ATTR_PTRN	OCCUR_CD	5	VARCHAR2(4)	'0'	N	Y	Y	
DD_LT_LGCL_ATTR_PTRN	DESCR	6	VARCHAR2(255)		Y	N	N	
DD_LT_LGCL_ATTR_PTRN	RMD_CREAT_DT	7	DATE	SYSDATE	N	N	N	
DD_LT_LGCL_ATTR_PTRN	RMD_CREAT_PRCS	8	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LT_LGCL_ATTR_PTRN	RMD_DATA_OWN_GRP	9	VARCHAR2(4)	'0'	N	N	N	
DD_LT_LGCL_ATTR_PTRN	RMD_RSTR_LVL	10	NUMBER(10,0)	0	N	N	N	
DD_LT_LGCL_ATTR_PTRN	RMD_IN_USE_IND	11	NCHAR(1)	'Y'	N	N	N	
DD_LT_LGCL_ATTR_PTRN	RMD_PRODTN_DT	12	DATE		Y	N	N	
DD_LT_LGCL_ATTR_PTRN	RMD_MODF_DT	13	DATE	SYSDATE	N	N	N	
DD_LT_LGCL_ATTR_PTRN	RMD_MODF_PRCS	14	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LT_LGCL_DATA_TYP	CD_LGCL_DAT_TYP_NM	0	VARCHAR2(31)	0	N	Y	N	The short name of the logical data type used to describe the attribute in the logical database
DD_LT_LGCL_DATA_TYP	LGCL_DAT_TYP_NM	1	VARCHAR2(63)		N	Y	N	the label or name of the logical data type
DD_LT_LGCL_DATA_TYP	LGCL_TYP_CD	2	VARCHAR2(4)	'0'	N	N	Y	
DD_LT_LGCL_DATA_TYP	DESCR	3	VARCHAR2(255)		Y	N	N	
DD_LT_LGCL_DATA_TYP	RMD_CREAT_DT	4	DATE	SYSDATE	N	N	N	
DD_LT_LGCL_DATA_TYP	RMD_CREAT_PRCS	5	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LT_LGCL_DATA_TYP	RMD_DATA_OWN_GRP	6	VARCHAR2(4)	'0'	N	N	N	
DD_LT_LGCL_DATA_TYP	RMD_RSTR_LVL	7	NUMBER(10,0)	0	N	N	N	
DD_LT_LGCL_DATA_TYP	RMD_IN_USE_IND	8	NCHAR(1)	'Y'	N	N	N	
DD_LT_LGCL_DATA_TYP	RMD_PRODTN_DT	9	DATE		Y	N	N	
DD_LT_LGCL_DATA_TYP	RMD_MODF_DT	10	DATE	SYSDATE	N	N	N	
DD_LT_LGCL_DATA_TYP	RMD_MODF_PRCS	11	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LT_LGCL_DATA_TYP_IMPL	CD_LGCL_DAT_TYP_NM	0	VARCHAR2(31)	0	N	Y	Y	The short name of the logical data type used to describe the attribute in the logical database
DD_LT_LGCL_DATA_TYP_IMPL	SEQ_NBR	1	NUMBER(10,0)	1	N	Y	N	The position of the attribute within the entity
DD_LT_LGCL_DATA_TYP_IMPL	LGCL_TYP_IMPL_NM	2	VARCHAR2(63)		Y	N	N	the label or name of the column used to implement the logical data type
DD_LT_LGCL_DATA_TYP_IMPL	CD_LGCL_TYP_IMPL_NM	3	VARCHAR2(31)		Y	N	N	The short name of the component of the logical data type

DD_LT_LGCL_DATA_TYP_IMPL	SQL_TYP_CD	4	VARCHAR2(4)	'0'	N	N	Y	
DD_LT_LGCL_DATA_TYP_IMPL	DFALT_VALUE	5	VARCHAR2(31)		Y	N	N	The default value of the attribute or column
DD_LT_LGCL_DATA_TYP_IMPL	COL_WIDTH	6	NUMBER(10,0)	0	N	N	N	The number of bytes used by the implemented data type
DD_LT_LGCL_DATA_TYP_IMPL	DEC_CNT	7	NUMBER(10,0)	0	N	N	N	The number of decimal places in the implemented data type
DD_LT_LGCL_DATA_TYP_IMPL	NULL_IND	8	NCHAR(1)	'0'	N	N	Y	Indicates whether or not the attribute or column is allowed to be null
DD_LT_LGCL_DATA_TYP_IMPL	ENUM_IND	9	NCHAR(1)	'0'	N	N	Y	Indicates whether the column is an enumerated data type
DD_LT_LGCL_DATA_TYP_IMPL	DESCR	10	VARCHAR2(255)		Y	N	N	
DD_LT_LGCL_DATA_TYP_IMPL	RMD_CREAT_DT	11	DATE	SYSDATE	N	N	N	
DD_LT_LGCL_DATA_TYP_IMPL	RMD_CREAT_PRCS	12	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_LT_LGCL_DATA_TYP_IMPL	RMD_DATA_OWN_GRP	13	VARCHAR2(4)	'0'	N	N	N	
DD_LT_LGCL_DATA_TYP_IMPL	RMD_RSTR_LVL	14	NUMBER(10,0)	0	N	N	N	
DD_LT_LGCL_DATA_TYP_IMPL	RMD_IN_USE_IND	15	NCHAR(1)	'Y'	N	N	N	
DD_LT_LGCL_DATA_TYP_IMPL	RMD_PRODTN_DT	16	DATE		Y	N	N	
DD_LT_LGCL_DATA_TYP_IMPL	RMD_MODF_DT	17	DATE	SYSDATE	N	N	N	
DD_LT_LGCL_DATA_TYP_IMPL	RMD_MODF_PRCS	18	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_NF_PROC	PROC_ID	0	VARCHAR2(4)	'0'	N	Y	N	The unique database identifier assigned to each application function
DD_NF_PROC	PROC_NM	1	VARCHAR2(63)	'UNSIGNED'	N	Y	N	the name of the application function that called the web service for data
DD_NF_PROC	BUS_OBJ_NM	2	VARCHAR2(255)		Y	N	N	A string that contains the value of the attribute
DD_NF_PROC	SORT_ORD	3	NUMBER(10,0)	0	N	N	N	
DD_NF_PROC	DESCR	4	VARCHAR2(255)		Y	N	N	
DD_NF_PROC	RMD_CREAT_DT	5	DATE	SYSDATE	N	N	N	
DD_NF_PROC	RMD_CREAT_PRCS	6	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_NF_PROC	RMD_DATA_OWN_GRP	7	VARCHAR2(4)	'0'	N	N	N	
DD_NF_PROC	RMD_RSTR_LVL	8	NUMBER(10,0)	0	N	N	N	
DD_NF_PROC	RMD_IN_USE_IND	9	NCHAR(1)	'Y'	N	N	N	
DD_NF_PROC	RMD_PRODTN_DT	10	DATE		Y	N	N	
DD_NF_PROC	RMD_MODF_DT	11	DATE	SYSDATE	N	N	N	
DD_NF_PROC	RMD_MODF_PRCS	12	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_PDM_TBL	CD_TBL_NM	0	VARCHAR2(31)	0	N	Y	N	The short name of the entity in the logical database
DD_PDM_TBL	ENTY_NM	1	VARCHAR2(63)		N	Y	N	The name or label of the entity in the logical data model
DD_PDM_TBL	LDM_TBL_TYP_CD	2	VARCHAR2(4)	'0'	N	N	Y	
DD_PDM_TBL	DATA_STWRD_TITL_CD	3	VARCHAR2(4)	'0'	N	N	Y	the courtesy title for the person
DD_PDM_TBL	DATA_STWRD_FRST_NM	4	VARCHAR2(63)		Y	N	N	The person's first name
DD_PDM_TBL	DATA_STWRD_NK_NM	5	VARCHAR2(63)		Y	N	N	A person's nickname
DD_PDM_TBL	DATA_STWRD_MDL_NM	6	VARCHAR2(63)		Y	N	N	The middle name of a person
DD_PDM_TBL	DATA_STWRD_LAST_NM	7	VARCHAR2(63)		Y	N	N	The person's last name
DD_PDM_TBL	DESCR	8	VARCHAR2(255)		Y	N	N	
DD_PDM_TBL	RMD_CREAT_DT	9	DATE	SYSDATE	N	N	N	
DD_PDM_TBL	RMD_CREAT_PRCS	10	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_PDM_TBL	RMD_DATA_OWN_GRP	11	VARCHAR2(4)	'0'	N	N	N	
DD_PDM_TBL	RMD_RSTR_LVL	12	NUMBER(10,0)	0	N	N	N	
DD_PDM_TBL	RMD_IN_USE_IND	13	NCHAR(1)	'Y'	N	N	N	
DD_PDM_TBL	RMD_PRODTN_DT	14	DATE		Y	N	N	
DD_PDM_TBL	RMD_MODF_DT	15	DATE	SYSDATE	N	N	N	
DD_PDM_TBL	RMD_MODF_PRCS	16	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_PDM_TBL_COL	CD_TBL_NM	0	VARCHAR2(31)	0	N	Y	Y	The short name of the entity in the logical database
DD_PDM_TBL_COL	SEQ_NBR	1	NUMBER(10,0)	1	N	N	N	The position of the attribute within the entity
DD_PDM_TBL_COL	CD_COL_NM	2	VARCHAR2(31)		N	Y	N	The short name of the column in the logical database
DD_PDM_TBL_COL	COL_NM	3	VARCHAR2(63)		N	Y	N	The name or label for the column
DD_PDM_TBL_COL	COL_DESC	4	VARCHAR2(255)		Y	N	N	the meaning of the column in the table
DD_PDM_TBL_COL	SQL_TYP_CD	5	VARCHAR2(4)	'0'	N	N	Y	
DD_PDM_TBL_COL	DFALT_VALUE	6	VARCHAR2(31)		Y	N	N	The default value of the attribute or column
DD_PDM_TBL_COL	NULL_IND	7	NCHAR(1)	'0'	N	N	Y	Indicates whether or not the attribute or column is allowed to be null
DD_PDM_TBL_COL	KEY_IND	8	NCHAR(1)	'0'	N	N	Y	Indicates whether the column is part of the table key
DD_PDM_TBL_COL	FRGN_KEY_IND	9	NCHAR(1)	'0'	N	N	Y	Indicates whether the column is a foreign key
DD_PDM_TBL_COL	DESCR	10	VARCHAR2(255)		Y	N	N	
DD_PDM_TBL_COL	RMD_CREAT_DT	11	DATE	SYSDATE	N	N	N	
DD_PDM_TBL_COL	RMD_CREAT_PRCS	12	VARCHAR2(63)	'UNSIGNED'	N	N	N	

DD_PDM_TBL_COL	RMD_DATA_OWN_GRP	13	VARCHAR2(4)	'0'	N	N	N	
DD_PDM_TBL_COL	RMD_RSTR_LVL	14	NUMBER(10,0)	0	N	N	N	
DD_PDM_TBL_COL	RMD_IN_USE_IND	15	NCHAR(1)	'Y'	N	N	N	
DD_PDM_TBL_COL	RMD_PRODTN_DT	16	DATE		Y	N	N	
DD_PDM_TBL_COL	RMD_MODF_DT	17	DATE	SYSDATE	N	N	N	
DD_PDM_TBL_COL	RMD_MODF_PRCS	18	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_PDM_TBL_RLTN	FRM_ENTY	0	VARCHAR2(31)	0	N	Y	Y	The short name of the entity in the logical database
DD_PDM_TBL_RLTN	TO_ENTY	1	VARCHAR2(31)	0	N	Y	Y	The short name of the entity in the logical database
DD_PDM_TBL_RLTN	SEQ_NBR	2	NUMBER(10,0)	1	N	Y	N	The position of the attribute within the entity
DD_PDM_TBL_RLTN	RLTNSHP_CD	3	VARCHAR2(4)	'0'	N	N	Y	
DD_PDM_TBL_RLTN	RELAT_NM	4	VARCHAR2(63)		Y	N	N	The name of the relationship between entities or columns
DD_PDM_TBL_RLTN	DESCR	5	VARCHAR2(255)		Y	N	N	
DD_PDM_TBL_RLTN	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N	
DD_PDM_TBL_RLTN	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_PDM_TBL_RLTN	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N	
DD_PDM_TBL_RLTN	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N	
DD_PDM_TBL_RLTN	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N	
DD_PDM_TBL_RLTN	RMD_PRODTN_DT	11	DATE		Y	N	N	
DD_PDM_TBL_RLTN	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N	
DD_PDM_TBL_RLTN	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_SA_SUBJ_AREA	SBJ_AREA	0	VARCHAR2(127)		N	Y	N	the name of the subject area
DD_SA_SUBJ_AREA	DESCR	1	VARCHAR2(255)		Y	N	N	
DD_SA_SUBJ_AREA	RMD_CREAT_DT	2	DATE	SYSDATE	N	N	N	
DD_SA_SUBJ_AREA	RMD_CREAT_PRCS	3	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_SA_SUBJ_AREA	RMD_DATA_OWN_GRP	4	VARCHAR2(4)	'0'	N	N	N	
DD_SA_SUBJ_AREA	RMD_RSTR_LVL	5	NUMBER(10,0)	0	N	N	N	
DD_SA_SUBJ_AREA	RMD_IN_USE_IND	6	NCHAR(1)	'Y'	N	N	N	
DD_SA_SUBJ_AREA	RMD_PRODTN_DT	7	DATE		Y	N	N	
DD_SA_SUBJ_AREA	RMD_MODF_DT	8	DATE	SYSDATE	N	N	N	
DD_SA_SUBJ_AREA	RMD_MODF_PRCS	9	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_SA_SUBJ_AREA_MAP	SBJ_AREA	0	VARCHAR2(127)		N	Y	Y	the name of the subject area
DD_SA_SUBJ_AREA_MAP	CD_TBL_NM	1	VARCHAR2(31)	0	N	Y	Y	The short name of the entity in the logical database
DD_SA_SUBJ_AREA_MAP	DESCR	2	VARCHAR2(255)		Y	N	N	
DD_SA_SUBJ_AREA_MAP	RMD_CREAT_DT	3	DATE	SYSDATE	N	N	N	
DD_SA_SUBJ_AREA_MAP	RMD_CREAT_PRCS	4	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_SA_SUBJ_AREA_MAP	RMD_DATA_OWN_GRP	5	VARCHAR2(4)	'0'	N	N	N	
DD_SA_SUBJ_AREA_MAP	RMD_RSTR_LVL	6	NUMBER(10,0)	0	N	N	N	
DD_SA_SUBJ_AREA_MAP	RMD_IN_USE_IND	7	NCHAR(1)	'Y'	N	N	N	
DD_SA_SUBJ_AREA_MAP	RMD_PRODTN_DT	8	DATE		Y	N	N	
DD_SA_SUBJ_AREA_MAP	RMD_MODF_DT	9	DATE	SYSDATE	N	N	N	
DD_SA_SUBJ_AREA_MAP	RMD_MODF_PRCS	10	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_VT_BDC_CD	BDC_CD	0	VARCHAR2(4)	'0'	N	Y	N	
DD_VT_BDC_CD	BDC_NM	1	VARCHAR2(63)	'system default'	N	Y	N	
DD_VT_BDC_CD	DESCR	2	VARCHAR2(255)		Y	N	N	
DD_VT_BDC_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N	
DD_VT_BDC_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N	
DD_VT_BDC_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N	
DD_VT_BDC_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N	
DD_VT_BDC_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_VT_BDC_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N	
DD_VT_BDC_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N	
DD_VT_BDC_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N	
DD_VT_BDC_CD	RMD_PRODTN_DT	11	DATE		Y	N	N	
DD_VT_BDC_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N	
DD_VT_BDC_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N	
DD_VT_BDS_RELAT_CD	BDS_RELAT_CD	0	VARCHAR2(4)	'0'	N	Y	N	
DD_VT_BDS_RELAT_CD	BDS_RELAT_NM	1	VARCHAR2(63)	'system default'	N	Y	N	
DD_VT_BDS_RELAT_CD	DESCR	2	VARCHAR2(255)		Y	N	N	

DD_VT_BDS_RELAT_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_BDS_RELAT_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_BDS_RELAT_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_BDS_RELAT_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_BDS_RELAT_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_BDS_RELAT_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_BDS_RELAT_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_BDS_RELAT_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_BDS_RELAT_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_BDS_RELAT_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_BDS_RELAT_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_BDS_TYP_CD	BDS_TYP_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_BDS_TYP_CD	BDS_TYP_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_BDS_TYP_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_BDS_TYP_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_BDS_TYP_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_BDS_TYP_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_BDS_TYP_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_BDS_TYP_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_BDS_TYP_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_BDS_TYP_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_BDS_TYP_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_BDS_TYP_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_BDS_TYP_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_BDS_TYP_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_CMPNT_PRPS_CD	CMPNT_PRPS_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_CMPNT_PRPS_CD	CMPNT_PRPS_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_CMPNT_PRPS_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_CMPNT_PRPS_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_CMPNT_PRPS_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_CMPNT_PRPS_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_CMPNT_PRPS_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_CMPNT_PRPS_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_CMPNT_PRPS_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_CMPNT_PRPS_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_CMPNT_PRPS_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_CMPNT_PRPS_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_CMPNT_PRPS_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_CMPNT_PRPS_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_CRDN_TYP_CD	CRDN_TYP_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_CRDN_TYP_CD	CRDN_TYP_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_CRDN_TYP_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_CRDN_TYP_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_CRDN_TYP_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_CRDN_TYP_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_CRDN_TYP_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_CRDN_TYP_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_CRDN_TYP_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_CRDN_TYP_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_CRDN_TYP_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_CRDN_TYP_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_CRDN_TYP_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_CRDN_TYP_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_DB_LYR_CD	DB_LYR_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_DB_LYR_CD	DB_LYR_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_DB_LYR_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_DB_LYR_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_DB_LYR_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N

DD_VT_DB_LYR_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_DB_LYR_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_DB_LYR_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_DB_LYR_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_DB_LYR_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_DB_LYR_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_DB_LYR_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_DB_LYR_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_DB_LYR_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_DB_TYP_CD	DB_TYP_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_DB_TYP_CD	DB_TYP_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_DB_TYP_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_DB_TYP_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_DB_TYP_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_DB_TYP_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_DB_TYP_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_DB_TYP_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_DB_TYP_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_DB_TYP_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_DB_TYP_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_DB_TYP_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_DB_TYP_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_DB_TYP_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_DBMS_CD	DBMS_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_DBMS_CD	DBMS_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_DBMS_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_DBMS_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_DBMS_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_DBMS_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_DBMS_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_DBMS_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_DBMS_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_DBMS_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_DBMS_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_DBMS_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_DBMS_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_DBMS_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_DLC_PHS_CD	DLC_PHS_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_DLC_PHS_CD	DLC_PHS_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_DLC_PHS_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_DLC_PHS_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_DLC_PHS_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_DLC_PHS_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_DLC_PHS_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_DLC_PHS_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_DLC_PHS_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_DLC_PHS_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_DLC_PHS_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_DLC_PHS_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_DLC_PHS_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_DLC_PHS_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_DVLP_TYP_CD	DVLP_TYP_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_DVLP_TYP_CD	DVLP_TYP_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_DVLP_TYP_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_DVLP_TYP_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_DVLP_TYP_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_DVLP_TYP_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_DVLP_TYP_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N

DD_VT_DVLP_TYP_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_DVLP_TYP_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_DVLP_TYP_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_DVLP_TYP_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_DVLP_TYP_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_DVLP_TYP_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_DVLP_TYP_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_ENTY_TYP_CD	ENTY_TYP_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_ENTY_TYP_CD	ENTY_TYP_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_ENTY_TYP_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_ENTY_TYP_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_ENTY_TYP_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_ENTY_TYP_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_ENTY_TYP_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_ENTY_TYP_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_ENTY_TYP_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_ENTY_TYP_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_ENTY_TYP_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_ENTY_TYP_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_ENTY_TYP_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_ENTY_TYP_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_IMPL_CD	IMPL_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_IMPL_CD	IMPL_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_IMPL_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_IMPL_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_IMPL_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_IMPL_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_IMPL_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_IMPL_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_IMPL_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_IMPL_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_IMPL_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_IMPL_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_IMPL_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_IMPL_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_IND_CD	IND_CD	0	NCHAR(1)	'0'	N	Y	N
DD_VT_IND_CD	IND_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_IND_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_IND_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_IND_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_IND_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_IND_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_IND_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_IND_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_IND_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_IND_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_IND_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_IND_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_IND_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_LDM_TBL_TYP_CD	LDM_TBL_TYP_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_LDM_TBL_TYP_CD	LDM_TBL_TYP_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_LDM_TBL_TYP_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_LDM_TBL_TYP_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_LDM_TBL_TYP_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_LDM_TBL_TYP_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_LDM_TBL_TYP_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_LDM_TBL_TYP_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_LDM_TBL_TYP_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N

DD_VT_LDM_TBL_TYP_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_LDM_TBL_TYP_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_LDM_TBL_TYP_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_LDM_TBL_TYP_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_LDM_TBL_TYP_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_LGCL_TBL_CD	LGCL_TBL_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_LGCL_TBL_CD	LGCL_TBL_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_LGCL_TBL_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_LGCL_TBL_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_LGCL_TBL_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_LGCL_TBL_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_LGCL_TBL_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_LGCL_TBL_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_LGCL_TBL_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_LGCL_TBL_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_LGCL_TBL_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_LGCL_TBL_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_LGCL_TBL_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_LGCL_TBL_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_LGCL_TYP_CD	LGCL_TYP_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_LGCL_TYP_CD	LGCL_TYP_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_LGCL_TYP_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_LGCL_TYP_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_LGCL_TYP_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_LGCL_TYP_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_LGCL_TYP_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_LGCL_TYP_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_LGCL_TYP_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_LGCL_TYP_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_LGCL_TYP_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_LGCL_TYP_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_LGCL_TYP_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_LGCL_TYP_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_OCCUR_CD	OCCUR_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_OCCUR_CD	OCCUR_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_OCCUR_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_OCCUR_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_OCCUR_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_OCCUR_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_OCCUR_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_OCCUR_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_OCCUR_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_OCCUR_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_OCCUR_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_OCCUR_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_OCCUR_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_OCCUR_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_PROC_PHS_CD	PROC_PHS_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_PROC_PHS_CD	PROC_PHS_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_PROC_PHS_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_PROC_PHS_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_PROC_PHS_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_PROC_PHS_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_PROC_PHS_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_PROC_PHS_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_PROC_PHS_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_PROC_PHS_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_PROC_PHS_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N

DD_VT_PROC_PHS_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_PROC_PHS_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_PROC_PHS_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_RLTNSHP_CD	RLTNSHP_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_RLTNSHP_CD	RLTNSHP_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_RLTNSHP_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_RLTNSHP_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_RLTNSHP_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_RLTNSHP_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_RLTNSHP_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_RLTNSHP_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_RLTNSHP_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_RLTNSHP_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_RLTNSHP_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_RLTNSHP_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_RLTNSHP_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_RLTNSHP_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_SQL_TYP_CD	SQL_TYP_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_SQL_TYP_CD	SQL_TYP_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_SQL_TYP_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_SQL_TYP_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_SQL_TYP_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_SQL_TYP_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_SQL_TYP_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_SQL_TYP_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_SQL_TYP_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_SQL_TYP_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_SQL_TYP_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_SQL_TYP_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_SQL_TYP_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_SQL_TYP_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_SRVC_CD	SRVC_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_SRVC_CD	SRVC_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_SRVC_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_SRVC_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_SRVC_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_SRVC_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_SRVC_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_SRVC_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_SRVC_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_SRVC_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_SRVC_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_SRVC_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_SRVC_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_SRVC_CD	RMD_MODF_PRCS	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_STRG_CD	STRG_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_STRG_CD	STRG_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_STRG_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_STRG_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_STRG_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_STRG_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_STRG_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_STRG_CD	RMD_CREAT_PRCS	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_STRG_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_STRG_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_STRG_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_STRG_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_STRG_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N



DD_VT_STRG_CD	RMD_MODF_PRCs	13	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_TITL_CD	TITL_CD	0	VARCHAR2(4)	'0'	N	Y	N
DD_VT_TITL_CD	TITL_NM	1	VARCHAR2(63)	'system default'	N	Y	N
DD_VT_TITL_CD	DESCR	2	VARCHAR2(255)		Y	N	N
DD_VT_TITL_CD	SORT_ORD	3	NUMBER(10,0)	0	N	N	N
DD_VT_TITL_CD	TM_INTRVL_BGN_DT	4	DATE	SYSDATE	N	N	N
DD_VT_TITL_CD	TM_INTRVL_END_DT	5	DATE	'31-DEC-9999'	N	N	N
DD_VT_TITL_CD	RMD_CREAT_DT	6	DATE	SYSDATE	N	N	N
DD_VT_TITL_CD	RMD_CREAT_PRCs	7	VARCHAR2(63)	'UNSIGNED'	N	N	N
DD_VT_TITL_CD	RMD_DATA_OWN_GRP	8	VARCHAR2(4)	'0'	N	N	N
DD_VT_TITL_CD	RMD_RSTR_LVL	9	NUMBER(10,0)	0	N	N	N
DD_VT_TITL_CD	RMD_IN_USE_IND	10	NCHAR(1)	'Y'	N	N	N
DD_VT_TITL_CD	RMD_PRODTN_DT	11	DATE		Y	N	N
DD_VT_TITL_CD	RMD_MODF_DT	12	DATE	SYSDATE	N	N	N
DD_VT_TITL_CD	RMD_MODF_PRCs	13	VARCHAR2(63)	'UNSIGNED'	N	N	N