

Stored Procedure Name	Procedure Type	Description	Input Parameter	Standard Input Parameter	Return Value	Output Parameter	Standard Output Parameter	Project Name	Table Section	Table Name	Table Description	Name Length
DD_AD_ACS_LOG_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_ACS_LOG	The log of the database accesses made by the processes using the database	20
DD_AD_ACS_LOG_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	AD	DD_AD_ACS_LOG	The log of the database accesses made by the processes using the database	19
DD_AD_ACS_LOG_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_ACS_LOG	The log of the database accesses made by the processes using the database	20
DD_AD_ACS_LOG_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_ACS_LOG	The log of the database accesses made by the processes using the database	20
DD_AD_ACS_LOG_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_ACS_LOG	The log of the database accesses made by the processes using the database	20
DD_AD_ACS_LOG_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	AD	DD_AD_ACS_LOG	The log of the database accesses made by the processes using the database	20
DD_AD_DB_VRSN_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_DB_VRSN	The current version of the database design	20
DD_AD_DB_VRSN_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	AD	DD_AD_DB_VRSN	The current version of the database design	19
DD_AD_DB_VRSN_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_DB_VRSN	The current version of the database design	20
DD_AD_DB_VRSN_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_DB_VRSN	The current version of the database design	20
DD_AD_DB_VRSN_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_DB_VRSN	The current version of the database design	20
DD_AD_DB_VRSN_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	AD	DD_AD_DB_VRSN	The current version of the database design	20
DD_AD_ERR_LOG_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_ERR_LOG	The log of the error message encountered by the processes using the database	20
DD_AD_ERR_LOG_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	AD	DD_AD_ERR_LOG	The log of the error message encountered by the processes using the database	19
DD_AD_ERR_LOG_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_ERR_LOG	The log of the error message encountered by the processes using the database	20
DD_AD_ERR_LOG_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_ERR_LOG	The log of the error message encountered by the processes using the database	20
DD_AD_ERR_LOG_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AD	DD_AD_ERR_LOG	The log of the error message encountered by the processes using the database	20
DD_AD_ERR_LOG_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	AD	DD_AD_ERR_LOG	The log of the error message encountered by the processes using the database	20
DD_AU_DATA_OWN_GRP_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AU	DD_AU_DATA_OWN_GRP	the group that owns records in the database	25
DD_AU_DATA_OWN_GRP_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	AU	DD_AU_DATA_OWN_GRP	the group that owns records in the database	24
DD_AU_DATA_OWN_GRP_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AU	DD_AU_DATA_OWN_GRP	the group that owns records in the database	25
DD_AU_DATA_OWN_GRP_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AU	DD_AU_DATA_OWN_GRP	the group that owns records in the database	25
DD_AU_DATA_OWN_GRP_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AU	DD_AU_DATA_OWN_GRP	the group that owns records in the database	25

DD_AU_USR_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	AU	DD_AU_USR	contains the list of user that are authorized to access the application functions and database	16
DD_AU_USR_AUTH_HIST_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AU	DD_AU_USR_AUTH_HIST	contains the list of role assignment history for a user.	26
DD_AU_USR_AUTH_HIST_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	AU	DD_AU_USR_AUTH_HIST	contains the list of role assignment history for a user.	25
DD_AU_USR_AUTH_HIST_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AU	DD_AU_USR_AUTH_HIST	contains the list of role assignment history for a user.	26
DD_AU_USR_AUTH_HIST_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AU	DD_AU_USR_AUTH_HIST	contains the list of role assignment history for a user.	26
DD_AU_USR_AUTH_HIST_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	AU	DD_AU_USR_AUTH_HIST	contains the list of role assignment history for a user.	26
DD_AU_USR_AUTH_HIST_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	AU	DD_AU_USR_AUTH_HIST	contains the list of role assignment history for a user.	26
DD_BM_BUS_MTRX_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BM	DD_BM_BUS_MTRX	the list of the mapping between conceptual entities (master data dimensions) and business processes, this mapping is the	21
DD_BM_BUS_MTRX_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	BM	DD_BM_BUS_MTRX	the list of the mapping between conceptual entities (master data dimensions) and business processes, this mapping is the	20
DD_BM_BUS_MTRX_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BM	DD_BM_BUS_MTRX	the list of the mapping between conceptual entities (master data dimensions) and business processes, this mapping is the	21
DD_BM_BUS_MTRX_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BM	DD_BM_BUS_MTRX	the list of the mapping between conceptual entities (master data dimensions) and business processes, this mapping is the	21
DD_BM_BUS_MTRX_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BM	DD_BM_BUS_MTRX	the list of the mapping between conceptual entities (master data dimensions) and business processes, this mapping is the	21
DD_BM_BUS_MTRX_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	BM	DD_BM_BUS_MTRX	the list of the mapping between conceptual entities (master data dimensions) and business processes, this mapping is the	21
DD_BM_BUS_UNT_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BM	DD_BM_BUS_UNT	the list of the leaves in the business organization chart that represent the automated business processes	20
DD_BM_BUS_UNT_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	BM	DD_BM_BUS_UNT	the list of the leaves in the business organization chart that represent the automated business processes	19
DD_BM_BUS_UNT_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BM	DD_BM_BUS_UNT	the list of the leaves in the business organization chart that represent the automated business processes	20
DD_BM_BUS_UNT_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BM	DD_BM_BUS_UNT	the list of the leaves in the business organization chart that represent the automated business processes	20
DD_BM_BUS_UNT_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BM	DD_BM_BUS_UNT	the list of the leaves in the business organization chart that represent the automated business processes	20
DD_BM_BUS_UNT_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	BM	DD_BM_BUS_UNT	the list of the leaves in the business organization chart that represent the automated business processes	20
DD_BV_BDS_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDS	the list of business data structures or business vocabulary	16
DD_BV_BDS_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	BV	DD_BV_BDS	the list of business data structures or business vocabulary	15
DD_BV_BDS_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDS	the list of business data structures or business vocabulary	16
DD_BV_BDS_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDS	the list of business data structures or business vocabulary	16
DD_BV_BDS_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDS	the list of business data structures or business vocabulary	16

DD_BV_BDS_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	BV	DD_BV_BDS	the list of business data structures or business vocabulary	16
DD_BV_BDS_CMPNT_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDS_CMPNT	The list of components that make up a business data structure	22
DD_BV_BDS_CMPNT_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	BV	DD_BV_BDS_CMPNT	The list of components that make up a business data structure	21
DD_BV_BDS_CMPNT_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDS_CMPNT	The list of components that make up a business data structure	22
DD_BV_BDS_CMPNT_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDS_CMPNT	The list of components that make up a business data structure	22
DD_BV_BDS_CMPNT_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDS_CMPNT	The list of components that make up a business data structure	22
DD_BV_BDS_CMPNT_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	BV	DD_BV_BDS_CMPNT	The list of components that make up a business data structure	22
DD_BV_BDT_DEFN_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDT_DEFN	The definitions of the business data terms	21
DD_BV_BDT_DEFN_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	BV	DD_BV_BDT_DEFN	The definitions of the business data terms	20
DD_BV_BDT_DEFN_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDT_DEFN	The definitions of the business data terms	21
DD_BV_BDT_DEFN_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDT_DEFN	The definitions of the business data terms	21
DD_BV_BDT_DEFN_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_BDT_DEFN	The definitions of the business data terms	21
DD_BV_BDT_DEFN_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	BV	DD_BV_BDT_DEFN	The definitions of the business data terms	21
DD_BV_THSRS_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_THSRS	the list of relationships between the business data structures	18
DD_BV_THSRS_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	BV	DD_BV_THSRS	the list of relationships between the business data structures	17
DD_BV_THSRS_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_THSRS	the list of relationships between the business data structures	18
DD_BV_THSRS_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_THSRS	the list of relationships between the business data structures	18
DD_BV_THSRS_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	BV	DD_BV_THSRS	the list of relationships between the business data structures	18
DD_BV_THSRS_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	BV	DD_BV_THSRS	the list of relationships between the business data structures	18
DD_CDM_CNCPT_ENTY_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY	The list of the entities discovered during the conceptual data modeling process	24
DD_CDM_CNCPT_ENTY_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY	The list of the entities discovered during the conceptual data modeling process	23
DD_CDM_CNCPT_ENTY_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY	The list of the entities discovered during the conceptual data modeling process	24
DD_CDM_CNCPT_ENTY_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY	The list of the entities discovered during the conceptual data modeling process	24
DD_CDM_CNCPT_ENTY_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY	The list of the entities discovered during the conceptual data modeling process	24

DD_CDM_CNCPT_ENTY_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY	The list of the entities discovered during the conceptual data modeling process	24
DD_CDM_CNCPT_ENTY_CMPNT_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_CMPNT	the list of business components within a conceptual entity	30
DD_CDM_CNCPT_ENTY_CMPNT_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_CMPNT	the list of business components within a conceptual entity	29
DD_CDM_CNCPT_ENTY_CMPNT_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_CMPNT	the list of business components within a conceptual entity	30
DD_CDM_CNCPT_ENTY_CMPNT_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_CMPNT	the list of business components within a conceptual entity	30
DD_CDM_CNCPT_ENTY_CMPNT_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_CMPNT	the list of business components within a conceptual entity	30
DD_CDM_CNCPT_ENTY_CMPNT_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_CMPNT	the list of business components within a conceptual entity	30
DD_CDM_CNCPT_ENTY_RLTN_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_RLTN	the list of relationships between the conceptual entities	29
DD_CDM_CNCPT_ENTY_RLTN_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_RLTN	the list of relationships between the conceptual entities	28
DD_CDM_CNCPT_ENTY_RLTN_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_RLTN	the list of relationships between the conceptual entities	29
DD_CDM_CNCPT_ENTY_RLTN_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_RLTN	the list of relationships between the conceptual entities	29
DD_CDM_CNCPT_ENTY_RLTN_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_RLTN	the list of relationships between the conceptual entities	29
DD_CDM_CNCPT_ENTY_RLTN_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	CD	DD_CDM_CNCPT_ENTY_RLTN	the list of relationships between the conceptual entities	29
DD_IA_APPL_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	IA	DD_IA_APPL	the list of applications used by the enterprise	17
DD_IA_APPL_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	IA	DD_IA_APPL	the list of applications used by the enterprise	16
DD_IA_APPL_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	IA	DD_IA_APPL	the list of applications used by the enterprise	17
DD_IA_APPL_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	IA	DD_IA_APPL	the list of applications used by the enterprise	17
DD_IA_APPL_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	IA	DD_IA_APPL	the list of applications used by the enterprise	17
DD_IA_APPL_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	IA	DD_IA_APPL	the list of applications used by the enterprise	17
DD_IA_APPL_FLD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	IA	DD_IA_APPL_FLD	this is the list of data elements used by application functions	21
DD_IA_APPL_FLD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	IA	DD_IA_APPL_FLD	this is the list of data elements used by application functions	20
DD_IA_APPL_FLD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	IA	DD_IA_APPL_FLD	this is the list of data elements used by application functions	21
DD_IA_APPL_FLD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	IA	DD_IA_APPL_FLD	this is the list of data elements used by application functions	21
DD_IA_APPL_FLD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	IA	DD_IA_APPL_FLD	this is the list of data elements used by application functions	21

DD_ID_DB_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	ID	DD_ID_DB	This table contains the list of databases used by the business process applications	15
DD_ID_DB_IMPL_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_IMPL	the list of physical implementations of a database	20
DD_ID_DB_IMPL_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	ID	DD_ID_DB_IMPL	the list of physical implementations of a database	19
DD_ID_DB_IMPL_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_IMPL	the list of physical implementations of a database	20
DD_ID_DB_IMPL_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_IMPL	the list of physical implementations of a database	20
DD_ID_DB_IMPL_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_IMPL	the list of physical implementations of a database	20
DD_ID_DB_IMPL_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	ID	DD_ID_DB_IMPL	the list of physical implementations of a database	20
DD_ID_DB_TBL_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_TBL	the list of tables in a physical database	19
DD_ID_DB_TBL_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	ID	DD_ID_DB_TBL	the list of tables in a physical database	18
DD_ID_DB_TBL_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_TBL	the list of tables in a physical database	19
DD_ID_DB_TBL_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_TBL	the list of tables in a physical database	19
DD_ID_DB_TBL_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_TBL	the list of tables in a physical database	19
DD_ID_DB_TBL_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	ID	DD_ID_DB_TBL	the list of tables in a physical database	19
DD_ID_DB_TBL_COL_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_TBL_COL	the list of columns in a physical database table	23
DD_ID_DB_TBL_COL_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	ID	DD_ID_DB_TBL_COL	the list of columns in a physical database table	22
DD_ID_DB_TBL_COL_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_TBL_COL	the list of columns in a physical database table	23
DD_ID_DB_TBL_COL_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_TBL_COL	the list of columns in a physical database table	23
DD_ID_DB_TBL_COL_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	ID	DD_ID_DB_TBL_COL	the list of columns in a physical database table	23
DD_ID_DB_TBL_COL_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	ID	DD_ID_DB_TBL_COL	the list of columns in a physical database table	23
DD_LDM_LGL_TBL_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LD	DD_LDM_LGL_TBL	the list of tables in the logical data model	21
DD_LDM_LGL_TBL_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	LD	DD_LDM_LGL_TBL	the list of tables in the logical data model	20
DD_LDM_LGL_TBL_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LD	DD_LDM_LGL_TBL	the list of tables in the logical data model	21
DD_LDM_LGL_TBL_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LD	DD_LDM_LGL_TBL	the list of tables in the logical data model	21
DD_LDM_LGL_TBL_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LD	DD_LDM_LGL_TBL	the list of tables in the logical data model	21

DD_LT_LGCL_ATTR_PTRN_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	LT	DD_LT_LGCL_ATTR_PTRN	the list of options described by the entity pattern analysis	27
DD_LT_LGCL_DATA_TYP_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP	The list of the logical data types for the logical table attributes	26
DD_LT_LGCL_DATA_TYP_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP	The list of the logical data types for the logical table attributes	25
DD_LT_LGCL_DATA_TYP_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP	The list of the logical data types for the logical table attributes	26
DD_LT_LGCL_DATA_TYP_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP	The list of the logical data types for the logical table attributes	26
DD_LT_LGCL_DATA_TYP_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP	The list of the logical data types for the logical table attributes	26
DD_LT_LGCL_DATA_TYP_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP	The list of the logical data types for the logical table attributes	26
DD_LT_LGCL_DATA_TYP_IMPL_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP_IMPL	The list of how the logical data types are implemented as physical columns in a DBMS	31
DD_LT_LGCL_DATA_TYP_IMPL_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP_IMPL	The list of how the logical data types are implemented as physical columns in a DBMS	30
DD_LT_LGCL_DATA_TYP_IMPL_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP_IMPL	The list of how the logical data types are implemented as physical columns in a DBMS	31
DD_LT_LGCL_DATA_TYP_IMPL_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP_IMPL	The list of how the logical data types are implemented as physical columns in a DBMS	31
DD_LT_LGCL_DATA_TYP_IMPL_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP_IMPL	The list of how the logical data types are implemented as physical columns in a DBMS	31
DD_LT_LGCL_DATA_TYP_IMPL_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	LT	DD_LT_LGCL_DATA_TYP_IMPL	The list of how the logical data types are implemented as physical columns in a DBMS	31
DD_NF_PROC_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	NF	DD_NF_PROC	contains the list of stored procedures	17
DD_NF_PROC_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	NF	DD_NF_PROC	contains the list of stored procedures	16
DD_NF_PROC_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	NF	DD_NF_PROC	contains the list of stored procedures	17
DD_NF_PROC_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	NF	DD_NF_PROC	contains the list of stored procedures	17
DD_NF_PROC_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	NF	DD_NF_PROC	contains the list of stored procedures	17
DD_NF_PROC_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	NF	DD_NF_PROC	contains the list of stored procedures	17
DD_PDM_TBL_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	PD	DD_PDM_TBL	The list of all the tables in the enterprise physical data model.	17
DD_PDM_TBL_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	PD	DD_PDM_TBL	The list of all the tables in the enterprise physical data model.	16
DD_PDM_TBL_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	PD	DD_PDM_TBL	The list of all the tables in the enterprise physical data model.	17
DD_PDM_TBL_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	PD	DD_PDM_TBL	The list of all the tables in the enterprise physical data model.	17
DD_PDM_TBL_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	PD	DD_PDM_TBL	The list of all the tables in the enterprise physical data model.	17

DD_SA_SUBJ_AREA_MAP_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	SA	DD_SA_SUBJ_AREA_MAP	the relationship between the subject area and the physical table - which tables are included in the subject area	26
DD_VT_BDC_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDC_CD	The type of business data component	19
DD_VT_BDC_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_BDC_CD	The type of business data component	18
DD_VT_BDC_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDC_CD	The type of business data component	19
DD_VT_BDC_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDC_CD	The type of business data component	19
DD_VT_BDC_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDC_CD	The type of business data component	19
DD_VT_BDC_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_BDC_CD	The type of business data component	19
DD_VT_BDS_RELAT_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDS_RELAT_CD	the type of relationship between two business data structures	25
DD_VT_BDS_RELAT_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_BDS_RELAT_CD	the type of relationship between two business data structures	24
DD_VT_BDS_RELAT_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDS_RELAT_CD	the type of relationship between two business data structures	25
DD_VT_BDS_RELAT_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDS_RELAT_CD	the type of relationship between two business data structures	25
DD_VT_BDS_RELAT_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDS_RELAT_CD	the type of relationship between two business data structures	25
DD_VT_BDS_RELAT_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_BDS_RELAT_CD	the type of relationship between two business data structures	25
DD_VT_BDS_TYP_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDS_TYP_CD	the type of business data term	23
DD_VT_BDS_TYP_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_BDS_TYP_CD	the type of business data term	22
DD_VT_BDS_TYP_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDS_TYP_CD	the type of business data term	23
DD_VT_BDS_TYP_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDS_TYP_CD	the type of business data term	23
DD_VT_BDS_TYP_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_BDS_TYP_CD	the type of business data term	23
DD_VT_BDS_TYP_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_BDS_TYP_CD	the type of business data term	23
DD_VT_CMPNT_PRPS_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_CMPNT_PRPS_CD	the list of answers to the first question for the entity pattern analysis	26
DD_VT_CMPNT_PRPS_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_CMPNT_PRPS_CD	the list of answers to the first question for the entity pattern analysis	25
DD_VT_CMPNT_PRPS_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_CMPNT_PRPS_CD	the list of answers to the first question for the entity pattern analysis	26
DD_VT_CMPNT_PRPS_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_CMPNT_PRPS_CD	the list of answers to the first question for the entity pattern analysis	26
DD_VT_CMPNT_PRPS_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_CMPNT_PRPS_CD	the list of answers to the first question for the entity pattern analysis	26

DD_VT_CMPNT_PRPS_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_CMPNT_PRPS_CD	the list of answers to the first question for the entity pattern analysis	26
DD_VT_CRDN_TYP_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_CRDN_TYP_CD	the list of answers to the second question for the entity pattern analysis	24
DD_VT_CRDN_TYP_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_CRDN_TYP_CD	the list of answers to the second question for the entity pattern analysis	23
DD_VT_CRDN_TYP_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_CRDN_TYP_CD	the list of answers to the second question for the entity pattern analysis	24
DD_VT_CRDN_TYP_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_CRDN_TYP_CD	the list of answers to the second question for the entity pattern analysis	24
DD_VT_CRDN_TYP_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_CRDN_TYP_CD	the list of answers to the second question for the entity pattern analysis	24
DD_VT_CRDN_TYP_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_CRDN_TYP_CD	the list of answers to the second question for the entity pattern analysis	24
DD_VT_DB_LYR_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DB_LYR_CD	The database layer to which the table belongs	22
DD_VT_DB_LYR_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_DB_LYR_CD	The database layer to which the table belongs	21
DD_VT_DB_LYR_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DB_LYR_CD	The database layer to which the table belongs	22
DD_VT_DB_LYR_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DB_LYR_CD	The database layer to which the table belongs	22
DD_VT_DB_LYR_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DB_LYR_CD	The database layer to which the table belongs	22
DD_VT_DB_LYR_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_DB_LYR_CD	The database layer to which the table belongs	22
DD_VT_DB_TYP_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DB_TYP_CD	The main use of the database	22
DD_VT_DB_TYP_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_DB_TYP_CD	The main use of the database	21
DD_VT_DB_TYP_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DB_TYP_CD	The main use of the database	22
DD_VT_DB_TYP_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DB_TYP_CD	The main use of the database	22
DD_VT_DB_TYP_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DB_TYP_CD	The main use of the database	22
DD_VT_DB_TYP_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_DB_TYP_CD	The main use of the database	22
DD_VT_DBMS_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DBMS_CD	The DBMS used to implement a database	20
DD_VT_DBMS_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_DBMS_CD	The DBMS used to implement a database	19
DD_VT_DBMS_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DBMS_CD	The DBMS used to implement a database	20
DD_VT_DBMS_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DBMS_CD	The DBMS used to implement a database	20
DD_VT_DBMS_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DBMS_CD	The DBMS used to implement a database	20

DD_VT_DBMS_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_DBMS_CD	The DBMS used to implement a database	20
DD_VT_DLC_PHS_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DLC_PHS_CD	the place in the processing architecture where the term is used	23
DD_VT_DLC_PHS_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_DLC_PHS_CD	the place in the processing architecture where the term is used	22
DD_VT_DLC_PHS_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DLC_PHS_CD	the place in the processing architecture where the term is used	23
DD_VT_DLC_PHS_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DLC_PHS_CD	the place in the processing architecture where the term is used	23
DD_VT_DLC_PHS_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DLC_PHS_CD	the place in the processing architecture where the term is used	23
DD_VT_DLC_PHS_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_DLC_PHS_CD	the place in the processing architecture where the term is used	23
DD_VT_DVLP_TYP_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DVLP_TYP_CD	The development type for this application	24
DD_VT_DVLP_TYP_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_DVLP_TYP_CD	The development type for this application	23
DD_VT_DVLP_TYP_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DVLP_TYP_CD	The development type for this application	24
DD_VT_DVLP_TYP_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DVLP_TYP_CD	The development type for this application	24
DD_VT_DVLP_TYP_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_DVLP_TYP_CD	The development type for this application	24
DD_VT_DVLP_TYP_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_DVLP_TYP_CD	The development type for this application	24
DD_VT_ENTY_TYP_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_ENTY_TYP_CD	the type of conceptual entity for the conceptual or Kimball star schema	24
DD_VT_ENTY_TYP_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_ENTY_TYP_CD	the type of conceptual entity for the conceptual or Kimball star schema	23
DD_VT_ENTY_TYP_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_ENTY_TYP_CD	the type of conceptual entity for the conceptual or Kimball star schema	24
DD_VT_ENTY_TYP_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_ENTY_TYP_CD	the type of conceptual entity for the conceptual or Kimball star schema	24
DD_VT_ENTY_TYP_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_ENTY_TYP_CD	the type of conceptual entity for the conceptual or Kimball star schema	24
DD_VT_ENTY_TYP_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_ENTY_TYP_CD	the type of conceptual entity for the conceptual or Kimball star schema	24
DD_VT_IMPL_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_IMPL_CD	The data model type used to implement the database.	20
DD_VT_IMPL_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_IMPL_CD	The data model type used to implement the database.	19
DD_VT_IMPL_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_IMPL_CD	The data model type used to implement the database.	20
DD_VT_IMPL_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_IMPL_CD	The data model type used to implement the database.	20
DD_VT_IMPL_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_IMPL_CD	The data model type used to implement the database.	20

DD_VT_IMPL_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_IMPL_CD	The data model type used to implement the database.	20
DD_VT_IND_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_IND_CD	The attribute that holds the answer to a yes/no question	19
DD_VT_IND_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_IND_CD	The attribute that holds the answer to a yes/no question	18
DD_VT_IND_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_IND_CD	The attribute that holds the answer to a yes/no question	19
DD_VT_IND_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_IND_CD	The attribute that holds the answer to a yes/no question	19
DD_VT_IND_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_IND_CD	The attribute that holds the answer to a yes/no question	19
DD_VT_IND_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_IND_CD	The attribute that holds the answer to a yes/no question	19
DD_VT_LDM_TBL_TYP_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LDM_TBL_TYP_CD	the component of the entity pattern	27
DD_VT_LDM_TBL_TYP_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_LDM_TBL_TYP_CD	the component of the entity pattern	26
DD_VT_LDM_TBL_TYP_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LDM_TBL_TYP_CD	the component of the entity pattern	27
DD_VT_LDM_TBL_TYP_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LDM_TBL_TYP_CD	the component of the entity pattern	27
DD_VT_LDM_TBL_TYP_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LDM_TBL_TYP_CD	the component of the entity pattern	27
DD_VT_LDM_TBL_TYP_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_LDM_TBL_TYP_CD	the component of the entity pattern	27
DD_VT_LGCL_TBL_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LGCL_TBL_CD	the type of logical table	24
DD_VT_LGCL_TBL_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_LGCL_TBL_CD	the type of logical table	23
DD_VT_LGCL_TBL_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LGCL_TBL_CD	the type of logical table	24
DD_VT_LGCL_TBL_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LGCL_TBL_CD	the type of logical table	24
DD_VT_LGCL_TBL_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LGCL_TBL_CD	the type of logical table	24
DD_VT_LGCL_TBL_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_LGCL_TBL_CD	the type of logical table	24
DD_VT_LGCL_TYP_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LGCL_TYP_CD	the purpose of the logical data type	24
DD_VT_LGCL_TYP_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_LGCL_TYP_CD	the purpose of the logical data type	23
DD_VT_LGCL_TYP_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LGCL_TYP_CD	the purpose of the logical data type	24
DD_VT_LGCL_TYP_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LGCL_TYP_CD	the purpose of the logical data type	24
DD_VT_LGCL_TYP_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_LGCL_TYP_CD	the purpose of the logical data type	24

DD_VT_LGCL_TYP_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_LGCL_TYP_CD	the purpose of the logical data type	24
DD_VT_OCCUR_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_OCCUR_CD	the list of answers to the third question for the entity pattern analysis	21
DD_VT_OCCUR_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_OCCUR_CD	the list of answers to the third question for the entity pattern analysis	20
DD_VT_OCCUR_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_OCCUR_CD	the list of answers to the third question for the entity pattern analysis	21
DD_VT_OCCUR_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_OCCUR_CD	the list of answers to the third question for the entity pattern analysis	21
DD_VT_OCCUR_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_OCCUR_CD	the list of answers to the third question for the entity pattern analysis	21
DD_VT_OCCUR_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_OCCUR_CD	the list of answers to the third question for the entity pattern analysis	21
DD_VT_PROC_PHS_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_PROC_PHS_CD	the business process phase where the data term is used	24
DD_VT_PROC_PHS_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_PROC_PHS_CD	the business process phase where the data term is used	23
DD_VT_PROC_PHS_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_PROC_PHS_CD	the business process phase where the data term is used	24
DD_VT_PROC_PHS_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_PROC_PHS_CD	the business process phase where the data term is used	24
DD_VT_PROC_PHS_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_PROC_PHS_CD	the business process phase where the data term is used	24
DD_VT_PROC_PHS_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_PROC_PHS_CD	the business process phase where the data term is used	24
DD_VT_RLTNSHP_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_RLTNSHP_CD	the type of relationship between the conceptual entities	23
DD_VT_RLTNSHP_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_RLTNSHP_CD	the type of relationship between the conceptual entities	22
DD_VT_RLTNSHP_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_RLTNSHP_CD	the type of relationship between the conceptual entities	23
DD_VT_RLTNSHP_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_RLTNSHP_CD	the type of relationship between the conceptual entities	23
DD_VT_RLTNSHP_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_RLTNSHP_CD	the type of relationship between the conceptual entities	23
DD_VT_RLTNSHP_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_RLTNSHP_CD	the type of relationship between the conceptual entities	23
DD_VT_SQL_TYP_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_SQL_TYP_CD	The implementation data type	23
DD_VT_SQL_TYP_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_SQL_TYP_CD	The implementation data type	22
DD_VT_SQL_TYP_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_SQL_TYP_CD	The implementation data type	23
DD_VT_SQL_TYP_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_SQL_TYP_CD	The implementation data type	23
DD_VT_SQL_TYP_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_SQL_TYP_CD	The implementation data type	23

DD_VT_SQL_TYP_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_SQL_TYP_CD	The implementation data type	23
DD_VT_SRVC_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_SRVC_CD	the coded value of the network service	20
DD_VT_SRVC_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_SRVC_CD	the coded value of the network service	19
DD_VT_SRVC_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_SRVC_CD	the coded value of the network service	20
DD_VT_SRVC_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_SRVC_CD	the coded value of the network service	20
DD_VT_SRVC_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_SRVC_CD	the coded value of the network service	20
DD_VT_SRVC_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_SRVC_CD	the coded value of the network service	20
DD_VT_STRG_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_STRG_CD	the type of data storage	20
DD_VT_STRG_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_STRG_CD	the type of data storage	19
DD_VT_STRG_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_STRG_CD	the type of data storage	20
DD_VT_STRG_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_STRG_CD	the type of data storage	20
DD_VT_STRG_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_STRG_CD	the type of data storage	20
DD_VT_STRG_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_STRG_CD	the type of data storage	20
DD_VT_TITL_CD_SP_CRT	SP_CRT	Insert a new record into the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_TITL_CD	the courtesy title for the person	20
DD_VT_TITL_CD_FN_RD	FN_RD	Read a record from the table for the primary key value	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Column List, modified date	error status, error message	DD	VT	DD_VT_TITL_CD	the courtesy title for the person	19
DD_VT_TITL_CD_SP_UPD	SP_UPD	Change an existing record in the table	Primary Key Columns, Data Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_TITL_CD	the courtesy title for the person	20
DD_VT_TITL_CD_SP_DEL	SP_DEL	Delete an existing record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_TITL_CD	the courtesy title for the person	20
DD_VT_TITL_CD_SP_NDL	SP_NDL	Undelete a deleted record in the table	Primary Key Columns	application function name, web service name, user id	N/A	N/A	error status, error message	DD	VT	DD_VT_TITL_CD	the courtesy title for the person	20
DD_VT_TITL_CD_FN_S01	FN_S01	Open a reference cursor to read a subset of the table	Primary Key Columns	application function name, web service name, user id	0 - standard execution, 1 - error execution	Reference Cursor Pointer	error status, error message	DD	VT	DD_VT_TITL_CD	the courtesy title for the person	20