

```

INSERT INTO DD_VT_BDC_CD
(
    BDC_CD, BDC_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_BDC_CD
(
    BDC_CD, BDC_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_BDS_RELAT_CD
(
    BDS_RELAT_CD, BDS_RELAT_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_BDS_RELAT_CD
(
    BDS_RELAT_CD, BDS_RELAT_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_BDS_TYP_CD
(

```

```
BDS_TYP_CD, BDS_TYP_NM,  
SORT_ORD, BGN_DT, END_DT,  
RMD_CREAT_DT, RMD_CREAT_PRCS, RMD_IN_USE_IND,  
RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCS  
)  
VALUES (  
  '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_BDS_TYP_CD  
(  
  BDS_TYP_CD, BDS_TYP_NM,  
  SORT_ORD, BGN_DT, END_DT,  
  RMD_CREAT_DT, RMD_CREAT_PRCS, RMD_IN_USE_IND,  
  RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCS  
)  
VALUES (  
  '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_CMPNT_PRPS_CD  
(  
  CMPNT_PRPS_CD, CMPNT_PRPS_NM,  
  SORT_ORD, BGN_DT, END_DT,  
  RMD_CREAT_DT, RMD_CREAT_PRCS, RMD_IN_USE_IND,  
  RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCS  
)  
VALUES (  
  '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_CMPNT_PRPS_CD  
(  
  CMPNT_PRPS_CD, CMPNT_PRPS_NM,  
  SORT_ORD, BGN_DT, END_DT,  
  RMD_CREAT_DT, RMD_CREAT_PRCS, RMD_IN_USE_IND,  
  RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCS  
)  
VALUES (  
  '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_CRDN_TYP_CD  
(  
  CRDN_TYP_CD, CRDN_TYP_NM,  
  SORT_ORD, BGN_DT, END_DT,
```

```
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_CRDN_TYP_CD  
(  
    CRDN_TYP_CD, CRDN_TYP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_CURR_CD  
(  
    CURR_CD, CURR_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_CURR_CD  
(  
    CURR_CD, CURR_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_DB_LYR_CD  
(  
    DB_LYR_CD, DB_LYR_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
```

```
)  
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_DB_LYR_CD  
(  
    DB_LYR_CD, DB_LYR_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_DB_TYP_CD  
(  
    DB_TYP_CD, DB_TYP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_DB_TYP_CD  
(  
    DB_TYP_CD, DB_TYP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_DBMS_CD  
(  
    DBMS_CD, DBMS_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  

```

```
'0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_DBMS_CD
```

```
(  
  DBMS_CD, DBMS_NM,  
  SORT_ORD, BGN_DT, END_DT,  
  RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
  RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
  '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_DLC_PHS_CD
```

```
(  
  DLC_PHS_CD, DLC_PHS_NM,  
  SORT_ORD, BGN_DT, END_DT,  
  RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
  RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
  '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_DLC_PHS_CD
```

```
(  
  DLC_PHS_CD, DLC_PHS_NM,  
  SORT_ORD, BGN_DT, END_DT,  
  RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
  RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
  '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_DVLP_TYP_CD
```

```
(  
  DVLP_TYP_CD, DVLP_TYP_NM,  
  SORT_ORD, BGN_DT, END_DT,  
  RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
  RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
  '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
```

```
);
```

```
INSERT INTO DD_VT_DVLP_TYP_CD
```

```
(  
    DVLP_TYP_CD, DVLP_TYP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
```

```
)  
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_ENTY_TYP_CD
```

```
(  
    ENTY_TYP_CD, ENTY_TYP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
```

```
)  
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_ENTY_TYP_CD
```

```
(  
    ENTY_TYP_CD, ENTY_TYP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
```

```
)  
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_FREQ_CD
```

```
(  
    FREQ_CD, FREQ_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
```

```
)  
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_FREQ_CD
(
    FREQ_CD, FREQ_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);
```

```
INSERT INTO DD_VT_ID_CD
(
    ID_CD, ID_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);
```

```
INSERT INTO DD_VT_ID_CD
(
    ID_CD, ID_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);
```

```
INSERT INTO DD_VT_ID_OWNR_CD
(
    ID_OWNR_CD, ID_OWNR_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);
```

```
INSERT INTO DD_VT_ID_OWNR_CD
(
```

```

    ID_OWNR_CD, ID_OWNR_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
)
VALUES (
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_IMPL_CD
(
    IMPL_CD, IMPL_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
)
VALUES (
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_IMPL_CD
(
    IMPL_CD, IMPL_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
)
VALUES (
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_IND_CD
(
    IND_CD, IND_NM,
    SORT_ORD, BGN_DT, END_DT,
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
)
VALUES (
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_IND_CD
(
    IND_CD, IND_NM,
    SORT_ORD, BGN_DT, END_DT,

```

```

RMD_CREAT_DT, RMD_CREAT_PRCS, RMD_IN_USE_IND,
RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCS
)
VALUES (
'1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_LDM_TBL_TYP_CD
(
LDM_TBL_TYP_CD, LDM_TBL_TYP_NM,
SORT_ORD, BGN_DT, END_DT,
RMD_CREAT_DT, RMD_CREAT_PRCS, RMD_IN_USE_IND,
RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCS
)
VALUES (
'0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_LDM_TBL_TYP_CD
(
LDM_TBL_TYP_CD, LDM_TBL_TYP_NM,
SORT_ORD, BGN_DT, END_DT,
RMD_CREAT_DT, RMD_CREAT_PRCS, RMD_IN_USE_IND,
RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCS
)
VALUES (
'1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_LGCL_TBL_CD
(
LGCL_TBL_CD, LGCL_TBL_NM,
SORT_ORD, BGN_DT, END_DT,
RMD_CREAT_DT, RMD_CREAT_PRCS, RMD_IN_USE_IND,
RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCS
)
VALUES (
'0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_LGCL_TBL_CD
(
LGCL_TBL_CD, LGCL_TBL_NM,
SORT_ORD, BGN_DT, END_DT,
RMD_CREAT_DT, RMD_CREAT_PRCS, RMD_IN_USE_IND,
RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCS
)

```

```
)  
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_LGCL_TYP_CD  
(  
    LGCL_TYP_CD, LGCL_TYP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_LGCL_TYP_CD  
(  
    LGCL_TYP_CD, LGCL_TYP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_LOCAT_CD  
(  
    LOCAT_CD, LOCAT_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_LOCAT_CD  
(  
    LOCAT_CD, LOCAT_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)  
VALUES (  

```

```
'1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_OCCUR_CD
```

```
(  
    OCCUR_CD, OCCUR_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)
```

```
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_OCCUR_CD
```

```
(  
    OCCUR_CD, OCCUR_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)
```

```
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_PROC_PHS_CD
```

```
(  
    PROC_PHS_CD, PROC_PHS_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)
```

```
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_PROC_PHS_CD
```

```
(  
    PROC_PHS_CD, PROC_PHS_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs  
)
```

```
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
```

```
);
```

```
INSERT INTO DD_VT_RLTNSHP_CD
```

```
(  
    RLTNSHP_CD, RLTNSHP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES  
)  
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_RLTNSHP_CD
```

```
(  
    RLTNSHP_CD, RLTNSHP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES  
)  
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_SQL_TYP_CD
```

```
(  
    SQL_TYP_CD, SQL_TYP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES  
)  
VALUES (  
    '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_SQL_TYP_CD
```

```
(  
    SQL_TYP_CD, SQL_TYP_NM,  
    SORT_ORD, BGN_DT, END_DT,  
    RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,  
    RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES  
)  
VALUES (  
    '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',  
    sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'  
);
```

```
INSERT INTO DD_VT_SRVC_CD
(
  SRVC_CD, SRVC_NM,
  SORT_ORD, BGN_DT, END_DT,
  RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
  RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
  '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);
```

```
INSERT INTO DD_VT_SRVC_CD
(
  SRVC_CD, SRVC_NM,
  SORT_ORD, BGN_DT, END_DT,
  RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
  RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
  '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);
```

```
INSERT INTO DD_VT_STRG_CD
(
  STRG_CD, STRG_NM,
  SORT_ORD, BGN_DT, END_DT,
  RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
  RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
  '0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);
```

```
INSERT INTO DD_VT_STRG_CD
(
  STRG_CD, STRG_NM,
  SORT_ORD, BGN_DT, END_DT,
  RMD_CREAT_DT, RMD_CREAT_PRCES, RMD_IN_USE_IND,
  RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCES
)
VALUES (
  '1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
  sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);
```

```
INSERT INTO DD_VT_TITL_CD
(
```

```

TITL_CD, TITL_NM,
SORT_ORD, BGN_DT, END_DT,
RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,
RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
)
VALUES (
'0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_TITL_CD
(
TITL_CD, TITL_NM,
SORT_ORD, BGN_DT, END_DT,
RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,
RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
)
VALUES (
'1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_UOM_CD
(
UOM_CD, UOM_NM,
SORT_ORD, BGN_DT, END_DT,
RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,
RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
)
VALUES (
'0', 'system default', 100, '01-JAN-1900', '31-DEC-9999',
sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```

```

INSERT INTO DD_VT_UOM_CD
(
UOM_CD, UOM_NM,
SORT_ORD, BGN_DT, END_DT,
RMD_CREAT_DT, RMD_CREAT_PRCs, RMD_IN_USE_IND,
RMD_PRODTN_DT, RMD_MODF_DT, RMD_MODF_PRCs
)
VALUES (
'1', 'unknown', 0, '01-JAN-1900', '31-DEC-9999',
sysdate, 'Database Setup', 'Y', NULL, sysdate, 'Database Setup'
);

```